Koldmount Powder Page 1 of 6 RTN Number: 00000299 February 16, 2015

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identification

Product Name: Koldmount Powder

Product Number: 3342,3346,3344,3344A,3345

Company Identification

CMP Industries LLC 413 North Pearl St Albany, NY 12207-1311 USA (518)-434-3147 (For product information) (800)-424-9300 (For emergencies) 1-800-424-9300 or 1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

WARNING: Dust may cause eye, skin and respiratory irritation. Individuals with sensitivity to methacrylates may develop an allergic reaction when exposed to this product.

GHS Classification:

Respiratory or skin Sensitization - Category 1

GHS Hazard Symbols:

Irritant



EYE:

Dust may be irritating to the eye.

SKIN:

May cause an allergic skin reaction.

INHALATION:

Avoid breathing dust, fumes, gas, mist vapors or spray.

INGESTION:

May cause gastrointestinal irritation with nausea, vomiting and diarrhea.



Koldmount Powder Page 2 of 6
RTN Number: 00000299 February 16, 2015

CHRONIC EFFECTS:

Prolonged or repeated overexposure may cause skin irritation or sensitization in some individuals.

CARCINOGENICITY INFORMATION:

None of the components of this product are listed as carcinogens by OSHA, IARC or NTP or the EU directive.

MEDICAL CONDITIONS AGRAVATED BY EXPOSURE:

Individuals with pre-existing skin and respiratory disorders may be at increased risk from exposure.

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT LISTING:

Chemical Name	Amount	CAS Number
POLY(METHYL METHACRYLATE)	99.0 %	9011-14-7
BENZOYL PEROXIDE	< 1.0 %	94-36-0

COMPOSITION COMMENT:

This material is not intended for application involving elevated temperatures.

4. FIRST AID MEASURES

EYE CONTACT FIRST AID:

Immediately flush victim's eyes with large quantities of water for at least 15 minutes, holding the eyelids apart. Get medical attention if irritation persists.

SKIN CONTACT FIRST AID:

Remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation develops. Launder clothing before re-use.

INHALATION FIRST AID:

Remove victim to fresh air. If breathing is difficult have qualified personnel adminster oxygen. Get medical attention if symptoms persist.

INGESTION FIRST AID:

If unconscious wash mouth out with water. Do not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. Get medical attention.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

COC Flash Point: 304.0 C (579.2 F) Autoignition Temperature: N/A

FLAMMABLE LIMITS IN AIR

LEL: N/A UEL: N/A

FLAMMABLE PROPERTIES:

High concentrations of dust in air may be explosive.



Koldmount Powder Page 3 of 6 RTN Number: 00000299 February 16, 2015

EXTINGUISHING MEDIA:

Water fog, carbon dioxide, halon and dry chemical. Do not use a water stream. Water stream can disperse dust in air producing a fire hazard and possible explosion hazard if exposed to ignition source.

FIRE & EXPLOSION HAZARDS:

High concentratons of dust in air may be explosive.

FIRE FIGHTING INSTRUCTIONS:

A self-contained breathing apparatus and full protective clothing should be worn in fire conditions.

COMBUSTION PRODUCTS:

Cool exposed intact containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

SAFEGUARDS (PERSONNEL):

Carefully collect and place into a container for disposal. Remove all sources of ignition. Do not generate airborne dust. Do not allow water to enter lakes, streams, ponds. groundwater or soil. Spilled powder can be a slip hazard.

LARGE SPILLS PROCEDURE:

Sweep up and shovel into waste drums or plastic bags. Wash the spillage area with water.

SMALL SPILLS PROCEDURE:

Same as large spill.

7. HANDLING AND STORAGE

HANDLING (PERSONNEL):

Avoid contact with skin and eyes. Do not breathe dust or fumes. Wash thourghly after handling. Wear protective clothing and equipment as described in Section 8. Use with adequate ventilation. Use good housekeeping to minimize accumulation of dust on equipment and surfaces. Keep away from sources of heat or ignition sources.

HANDLING (PHYSICAL ASPECTS):

Store in a dry, well ventilated area. Keep container closed when not in use.

Storage temperature: Ambient.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS:

Use with adequate local exhaust ventilation to maintain exposure below the occupation exposure limits.

EYE / FACE PROTECTION REQUIREMENTS:

Chemical safety glasses with sideshields or chemical goggles.

SKIN PROTECTION REQUIREMENTS:

Wear impervious gloves such as rubber to avoid skin contact.



Koldmount Powder Page 4 of 6
RTN Number: 00000299 February 16, 2015

RESPIRATORY PROTECTION REQUIREMENTS:

If the exposure limits are exceeded a NIOSH approved particulate respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance wiht OSHA 1910.134 and good industrial hygiene practice.

MISCELLANEOUS:

Impervious clothing as needed to prevent contact. A safety shower and eye wash should be availabe in the immediate work area.

EXPOSURE GUIDELINES:

POLY(METHYL METHACRYLATE)

Recommended Exposure Limit: 5 mg/m³

BENZOYL PEROXIDE

OSHA PEL: 5 mg/m³ OSHA TWA: 5 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: Powder
COLOR: White
ODOR: No odor
SOLUBILITY IN WATER: Negligible
SPECIFIC GRAVITY: 1.125 (Water = 1)

10. STABILITY AND REACTIVITY

STABILITY:

Stable.

POLYMERIZATION:

Hazardous polymerization will not occur.

INCOMPATIBILITY WITH OTHER MATERIALS:

Avoid contact with strong acids and oxidizing agents. Keep away heat, sparks or ignition sources.

DECOMPOSITION:

Methyl Methacrylate and Carbon Monoxide, depending on condition of heating or burning.

CONDITIONS TO AVOID:

Temperature above 570°F.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS:

Dust may cause irritation.

SKIN EFFECTS:

Dust may cause irritation, redness, rash and swelling. Individuals with sensitivity to methacrylates may develop an allergic reaction.



Koldmount Powder Page 5 of 6 RTN Number: 00000299 February 16, 2015

ACUTE ORAL EFFECTS:

May cause gastrointestinal irritation with nausea, vomiting or diarrhea.

ACUTE INHALATION EFFECTS:

Inhalation of dust may cause irritation of the nose, throat and upper respiratory tract.

CHRONIC EFFECTS /:

Prolonged or repeated overexposure may cause skin irritation or sensitization in some individuals.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS:

There is no specific data available for this product, however very large releases may be harmful or fatal to overexposed aquatic life.

MISCELLANEOUS:

The product is anticipated to be poorly removed in biological treatment processes.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Disposal should be accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

PRODUCT LABEL: Koldmount Powder D.O.T. SHIPPING NAME: Not Regulated

D.O.T. HAZARD CLASS: N/A UN NUMBER: N/A D.O.T. LABEL: N/A

MISCELLANEOUS:

IATA/ICAO. Not Regulated.

IMDG: Not regulated.

15. REGULATORY INFORMATION

EEC Symbols and Indications of Danger:

Irritant (Xi)





Koldmount Powder Page 6 of 6 RTN Number: 00000299 February 16, 2015

R-Phrases:

R36/37/38 - Irritating to eyes, respiratory system, and skin.

S-Phrases:

S15 - Keep away from heat.S25 - Avoid contact with eyes.

WHMIS Hazard Symbols:

None

Title V

BENZOYL PEROXIDE (94-36-0)

16. OTHER INFORMATION

REASON FOR ISSUE:
PREPARED BY:
John Nicpon
APPROVED BY:
John Nicpon
Quality Manager
APPROVAL DATE:
February 16, 2015
SUPERCEDES DATE:
December 19, 2014
RTN NUMBER:
00000299 (Official Copy)

HMIS Rating:

Health - 1
Flammability - 1
Reactivity - 0

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of CMP Industries LLC. The data on this sheet are related only to the specific material designated

herein. CMP Industries LLC assumes no legal responsibility for use or reliance upon these data.

END OF SAFETY DATA SHEET

