Revision Date 08/15/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name

FOMBLIN® Y LVAC 25/6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the Substance / Mixture

Electronic industry

- Electrical industry

Chemical industry

- For industrial use only

Distributor: SPI Supplies / Structure Probe Inc.

206 Garfield Avenue West Chester, PA 19380

Phone: 610-436-5400; 1-800-242-4774

Fax: 610-436-5755 Email: sales@2spi.com

SPI Catalog #'s: 00073-MB, 00073-XQ

1.3 Details of the supplier of the safety data sheet

Company

SOLVAY SPECIALTY POLYMERS USA, LLC 4500 McGINNIS FERRY ROAD 30005-3914, ALPHARETTA USA

Tel: +1-770-7728200 Fax: +1-770-7728213 Product Information: +1-800-2210553

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CONTACT CHEMTREC (24-Hour Number): +1-800-424-9300 within the United States and Canada, or +1-703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture

HCS 2012 (29 CFR 1910.1200)

- Not a hazardous product according to the OSHA Globally Harmonized System (GHS).

2.2 Label elements

HCS 2012 (29 CFR 1910.1200)

- Not a hazardous product according to the OSHA Globally Harmonized System (GHS).

2.3 Other hazards which do not result in classification

None identified

P04000019889

Version: 2.04 / US (Z8)



Revision Date 08/15/2022

SECTION 3: Composition/information on ingredients

3.1 Substance

- Chemical nature

Perfluorinated polyethers

Hazardous Ingredients and Impurities

- No ingredients are hazardous.

Non Hazardous Ingredients and Impurities

Chemical name	Identification number CAS-No.	Concentration [%]
1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymd.	69991-67-9	> 99.9

3.2 Mixture

- Not applicable, this product is a substance.

SECTION 4: First aid measures

4.1 Description of first-aid measures

In case of inhalation

- Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.
- Oxygen or artificial respiration if needed.

In case of skin contact

- Wash off with soap and water.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If eye irritation persists, consult a specialist.

In case of ingestion

- Drink 1 or 2 glasses of water.
- Do NOT induce vomiting.
- If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation

Effects

- No known effect.

In case of skin contact

Effects

- Effects of skin contacts may include:
- Redness

In case of eye contact

Effects

- Contact with eyes may cause irritation.
- Redness

P04000019889



Revision Date 08/15/2022

In case of ingestion

Symptoms

- Ingestion may provoke the following symptoms:
- Nausea
- Vomiting
- Diarrhea

4.3 Indication of any immediate medical attention and special treatment needed

- no data available

SECTION 5: Firefighting measures

<u>Flash point</u> The product is not flammable.

<u>Autoignition temperature</u> not auto-flammable, Expert judgment

Flammability / Explosive limit Lower flammability/explosion limit: Not applicable Upper flammability/explosion limit: Not applicable

5.1 Extinguishing media

Suitable extinguishing media

- Water
- powder
- Foam
- Dry chemical
- Carbon dioxide (CO2)

Unsuitable extinguishing media

- None.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting

- The product is not flammable.
- Not explosive
- In case of fire hazardous decomposition products may be produced such as: Gaseous hydrogen fluoride (HF), Fluorophosgene

Hazardous combustion products:

- Gaseous hydrogen fluoride (HF).
- Fluorophosgene
- The release of other hazardous decomposition products is possible.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

- Wear self-contained breathing apparatus and protective suit.
- When intervention in close proximity wear acid resistant over suit.

Further information

- Evacuate personnel to safe areas.
- Approach from upwind.
- Protect intervention team with a water spray as they approach the fire.

P04000019889



Revision Date 08/15/2022

- Keep containers and surroundings cool with water spray.
- Keep product and empty container away from heat and sources of ignition.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel

Prevent further leakage or spillage if safe to do so.

Advice for emergency responders

- Ensure adequate ventilation.
- Material can create slippery conditions.
- Sweep up to prevent slipping hazard.
- Keep away from open flames, hot surfaces and sources of ignition.

6.2 Environmental precautions

- Should not be released into the environment.
- Do not flush into surface water or sanitary sewer system.
- The product should not be allowed to enter drains, water courses or the soil.
- In case of accidental release or spill, immediately notify the appropriate authorities if required by Federal, State/Provincial and local laws and regulations.

6.3 Methods and materials for containment and cleaning up

- Soak up with inert absorbent material.
- Suitable material for picking up.
- Dry sand
- Earth
- Shovel into suitable container for disposal.

6.4 Reference to other sections

- Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Ensure adequate ventilation.
- Use personal protective equipment.
- Keep away from heat and sources of ignition.
- To avoid thermal decomposition, do not overheat.
- Take measures to prevent the build up of electrostatic charge.
- Clean and dry piping circuits and equipment before any operations.
- Ensure all equipment is electrically grounded before beginning transfer operations.

P04000019889



Revision Date 08/15/2022

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

- Keep away from heat and sources of ignition.
- Keep in properly labeled containers.
- Keep away from combustible material.
- Keep away from incompatible products
- Provide tight electrical equipment well protected against corrosion.
- Refer to protective measures listed in sections 7 and 8.

Packaging material

Suitable material

- Polyethylene

7.3 Specific end use(s)

- Contact your supplier for additional information

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

- Contains no substances with occupational exposure limit values.

Threshold limit values of by-products from thermal decomposition:

Components with workplace occupational exposure limits

Components	Value type	Value	Basis	
Hydrofluoric acid	TWA	0.5 ppm	American Conference of Governmental Industrial Hygienists	
		Danger of cutaneous absorption Expressed as :Fluorine		
Hydrofluoric acid	С	2 ppm	American Conference of Governmental Industrial Hygienists	
		Danger of cutaneous absorption Expressed as :Fluorine		
Hydrofluoric acid	С	6 ppm 5 mg/m3	National Institute for Occupational Safety and Health	
Hydrofluoric acid	TWA	3 ppm 2.5 mg/m3	National Institute for Occupational Safety and Health	
Hydrofluoric acid			Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants	

P04000019889

Version: 2.04 / US (Z8)



Revision Date 08/15/2022

	Expressed	Expressed as :Fluorine		
Hydrofluoric acid	TWA	3 ppm	Occupational Safety and Health Administration - Table Z-2	
Carbonic difluoride	TWA	2 ppm	American Conference of Governmental Industrial Hygienists	
Carbonic difluoride	STEL	5 ppm	American Conference of Governmental Industrial Hygienists	
Carbonic difluoride	TWA	2 ppm 5 mg/m3	National Institute for Occupational Safety and Health	
Carbonic difluoride	ST	5 ppm 15 mg/m3	National Institute for Occupational Safety and Health	

8.2 Exposure controls

Control measures

Engineering measures

- Provide local ventilation appropriate to the product decomposition risk (see section 10).
- Refer to protective measures listed in sections 7 and 8.
- Apply technical measures to comply with the occupational exposure limits.
- For additional information, consult the current edition of The Guide to the Safe Handling of Fluoropolymers published by the Society of Plastics Industry, Inc. (SPI) Fluoropolymer Division.

Individual protection measures

Respiratory protection

- Use respirator when performing operations involving potential exposure to vapor of the product.
- In case of decomposition (see section 10), use an air breathing apparatus with face mask.
- Use only respiratory protection that conforms to international/ national standards.
- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.
- Comply with OSHA respiratory protection requirements.

Hand protection

- Wear protective gloves.
- Protective gloves impervious chemical resistant:

Suitable material

- Nitrile rubber
- PVC
- Neoprene gloves
- butyl-rubber
- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Eye protection

- Safety glasses with side-shields
- If splashes are likely to occur, wear:
- Tightly fitting safety goggles

Skin and body protection

- Wear work overall and safety shoes.
- If splashes are likely to occur, wear:
- Chemical resistant apron

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.

P04000019889



Revision Date 08/15/2022

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

Physical state liquid

<u>Color</u> colorless Odor odorless

Odor Threshold Not applicable

Melting point/freezing point Melting point/range:

Not applicable

<u>Initial boiling point and boiling range</u> Boiling point/boiling range: > 554 °F (> 290 °C)

Flammability (solid, gas) Not applicable

Flammability (liquids) The product is not flammable.

Flammability / Explosive limit Lower flammability/explosion limit:

Not applicable

Upper flammability/explosion limit:

Not applicable

Flash point The product is not flammable.

<u>Autoignition temperature</u> <u>Ignition temperature</u>:

not auto-flammable, Expert judgment

Decomposition temperature > 554 °F (> 290 °C)

pH Not applicable

<u>Viscosity, dynamic</u>: 524 mPa.s

<u>Solubility</u> Water solubility:

insoluble

Solubility in other solvents: Fluorinated solvents: soluble

<u>Partition coefficient: n-octanol/water</u> Not applicable; insoluble in water and / or octanol.

Vapor pressure < 0.00000008 mmHg (0.0000001 hPa) (68 °F (20 °C))

Density 1.90 g/cm3 (68 °F (20 °C))

Relative density 1.88 - 1.90

P04000019889

Version: 2.04 / US (Z8)



Revision Date 08/15/2022

Relative vapor density 100 - 120 (68 °F (20 °C))

Particle characteristics Particle size:

Not applicable

Evaporation rate (Butylacetate = 1) < 1

not determined

9.2 Other information

Oxidizing properties Not considered as oxidizing.

<u>Self-ignition</u> not auto-flammable, Expert judgment

Impact sensitivity Not explosive

Molecular weight 3,300 Da

Polymer Molar Mass

SECTION 10: Stability and reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under recommended storage conditions.
- Metals promote and lower decomposition temperature

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

- Avoid to use in presence of high voltage electric arc and in absence of oxygen.
- Keep away from flames.
- To avoid thermal decomposition, do not overheat.

10.5 Incompatible materials

- Alkali metals
- Lewis acids (Friedel-Crafts) above 100°C
- Aluminum and magnesium in powder form above 200°C

10.6 Hazardous decomposition products

- Gaseous hydrogen fluoride (HF).
- Fluorophosgene

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity

No data available

Acute inhalation toxicity

Not applicable

P04000019889

Version: 2.04 / US (Z8)



Revision Date 08/15/2022

Acute dermal toxicity

Acute toxicity (other routes of

administration)

No data available No data available

Skin corrosion/irritationNo data availableSerious eye damage/eye irritationNo data availableRespiratory or skin sensitizationNo data available

Mutagenicity

Genotoxicity in vitro

Genotoxicity in vivo

Carcinogenicity

No data available

No data available

No data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP IARC OSHA

Toxicity for reproduction and development

Toxicity to reproduction / fertility
Developmental Toxicity/Teratogenicity

STOT

No data available No data available

STOT-single exposure STOT-repeated exposure

e No data available
sure No data available
an exposure No data available

Experience with human exposure

Aspiration toxicity
Further information

No data available

Description of possible hazardous to health effects is based on experience and/or

toxicological characteristics of several ingredients.

Thermal decomposition can lead to release of toxic and corrosive gases.

The exposure to decomposition products causes severe irritation of eyes, skin

and mucous membranes.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic Compartment

Acute toxicity to fish No data available

Acute toxicity to daphnia and other

aquatic invertebrates

No data available

Toxicity to aquatic plants Toxicity to microorganisms No data available No data available

Chronic toxicity to fish

No data available

Chronic toxicity to daphnia and other aquatic invertebrates

No data available

12.2 Persistence and degradability

Abiotic degradation No data available

Physical- and photo-chemical No data available

P04000019889

Version: 2.04 / US (Z8)



Revision Date 08/15/2022

<u>elimination</u>

<u>Biodegradation</u> No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water No data available

Bioconcentration factor (BCF) No data available

12.4 Mobility in soil

Adsorption potential (Koc) No data available

Known distribution to environmental

compartments

No data available

12.5 Results of PBT and vPvB assessment No data available12.6 Other adverse effects No data available

Remarks Ecological injuries are not known or expected under normal use.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

- Do not dump into any sewers, on the ground, or into any body of water. All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations.
- Waste characterizations and compliance with applicable laws and regulations are the responsibility of the waste generator.
- Can be incinerated, when in compliance with local regulations.
- The incinerator must be equipped with a system for the neutralization or recovery of HF.

Advice on cleaning and disposal of packaging

- Empty containers can be landfilled, when in accordance with the local regulations.

SECTION 14: Transport information

49 CFR

not regulated

TDG

not regulated

NOM

not regulated

IMDG

not regulated

<u>IATA</u>

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

P04000019889

Version: 2.04 / US (Z8)



Revision Date 08/15/2022

SECTION 15: Regulatory information

15.1 Notification status

Inventory Information	Status
United States TSCA Inventory	- Listed as active on the TSCA inventory.
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australia Inventory of Chemical Substances (AICS)	- Listed on Inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- Listed on Inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- Listed on Inventory
Japan. ISHL - Inventory of Chemical Substances	- Listed on Inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- Listed on Inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on Inventory
New Zealand. Inventory of Chemical Substances	- Listed on Inventory
Taiwan. Chemical Substance Inventory (TCSI)	- Listed on Inventory
EU. European Registration, Evaluation, Authorization and Restriction of Chemical (REACH)	If product is purchased from Solvay in Europe it is in compliance with REACH, if not please contact the supplier.

15.2 Federal Regulations

US. EPA EPCRA SARA Title III

SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)

No SARA Hazards

Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355) This material does not contain any components with a section 302 EHS TPQ.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355) This material does not contain any components with a SARA 302 RQ.

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

This material does not contain any components with a section 304 EHS RQ.

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

This material does not contain any components with a CERCLA RQ.

P04000019889

Version: 2.04 / US (Z8)



Revision Date 08/15/2022

15.3 State Regulations

no data available

SECTION 16: Other information

Further information

- Product evaluated under the US GHS format.

Date Prepared: 08/15/2022

Key or legend to abbreviations and acronyms used in the safety data sheet

- C: Ceiling limit

- PEL: Permissible exposure limit

- ST: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday

- STEL: Short term exposure limit

- TWA: 8-hour, time-weighted average

- ACGIH: American Conference of Governmental Industrial Hygienists

- OSHA: Occupational Safety and Health Administration

- NTP: National Toxicology Program

- IARC: International Agency for Research on Cancer

- NIOSH: National Institute for Occupational Safety and Health

ADR: European Agreement on International Carriage of Dangerous Goods by Road.
 ADN: European Agreement on the International Carriage of Dangerous Goods by Inland

Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

- IATA: International Air Transport Association.

- ICAO-TI: Technical Specification for Safe Transport of Dangerous Goods by Air.

- IMDG: International Maritime Dangerous Goods.

TWA: Time weighted average

ATE: Estimated value of acute toxicity
 EC: European Community number
 CAS: Chemical Abstracts Service.

LD50: Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).

LC50: Substance concentration causing 50% (half) death in the test animals group.
 EC50: Effective Concentration of the substance causing the maximum of 50%.

PBT: Persistent, Bioaccumulative and Toxic substance.
 vPvB: Very Persistent and Very Bioaccumulative.
 SEA: Classification, labeling, packaging regulation

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration
 STOT: Specific Target Organ Toxicity

Not all acronyms listed above are referenced in this SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.

P04000019889

Version: 2.04 / US (Z8)

