



1. Chemical product and company identification

Product name BRAYCOTE 803
MSDS # 25019-AM
Code 25019-AM
Product use Lubricant
Manufacturer Castrol Industrial North America, Inc.
 150 W. Warrenville Road
 Naperville, IL 60563
Supplier SPI-Chem™ SPI Supplies Division Structure Probe, Inc.
 P.O. Box 656 West Chester, PA 19381-0656 USA
 Phone: 1-(610)-436-5400 Fax: 1-(610)-436-5755
 E-mail: spi3spi@2spi.com WWW: http://www.2spi.com
EMERGENCY SPILL INFORMATION: 1 (800) 424-9300 CHEMTREC (USA)

2. Composition/information on ingredients

This product does not contain any hazardous ingredients at or above regulated thresholds.

3. Hazards identification

Physical state Solid.
Color White Grease.
Emergency overview CAUTION!
 MAY CAUSE EYE IRRITATION.
 MAY CAUSE SKIN IRRITATION.
 MAY CAUSE RESPIRATORY TRACT IRRITATION.
 Inhalation of decomposition products (occurs if heated > 260 C) or of smoke from contaminated tobacco products may cause respiratory irritation and induce Polymer Fume Fever condition. Symptoms of exposure to decomposition products are: lung irritation, pulmonary edema, flu-like symptoms (example - fever chills). Avoid contact with eyes, skin and clothing. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling.
Routes of entry Dermal contact. Eye contact. Inhalation.
Potential health effects
Eyes May cause eye irritation.
Skin May cause skin irritation.
Inhalation May cause respiratory tract irritation.
Ingestion Ingestion may cause gastrointestinal irritation and diarrhea.
Medical conditions aggravated by over-exposure None identified.
See toxicological information (section 11)

Product name BRAYCOTE 803	MSDS # 25019-AM	Page: 1/5
Version 1	Date of issue 06/01/2005.	Format US
		Language ENGLISH. (ENGLISH)
	Build 4.2.3	

4. First aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops.
Skin contact	Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.

5. Fire-fighting measures

Flammability of the product	May be combustible at high temperature.
Products of combustion	These products are carbon oxides (CO, CO ₂), halogenated compounds, hydrogen fluoride.
Unusual fire/explosion hazards	Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts and oxidizing materials.
Fire-fighting media and instructions	In case of fire, use water spray (fog), foam or dry chemicals.
Protective clothing (fire)	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.
Special remarks on fire hazards	Inhalation of decomposition products (occurs if heated > 260 C) or of smoke from contaminated tobacco products may cause respiratory irritation and induce Polymer Fume Fever condition. Symptoms of exposure to decomposition products are: lung irritation, pulmonary edema, flu-like symptoms (example - fever chills). A NFPA health hazard rating of "3" is assigned due to due to toxicity of thermal decomposition products and fluorine (HF); otherwise, the material itself warrants a health hazard rating of "1".

6. Accidental release measures

Personal precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (See Section: "Exposure controls/personal protection"). Follow all fire fighting procedures (See Section: "Fire-fighting measures").
Environmental precautions and clean-up methods	If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Avoid contact of spilled material with soil and prevent runoff entering surface waterways. See Section 13 for Waste Disposal Information.
Personal protection in case of a large spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

7. Handling and storage

Handling	Avoid contact with skin and clothing. Avoid contact with eyes. Use only with adequate ventilation. Wash thoroughly after handling. Decomposes and releases toxic gases when exposed to high temperature or when burning.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. Empty containers may contain harmful, flammable/combustible or explosive residue or vapors. Do not cut, grind, drill, weld, reuse or dispose of containers unless adequate precautions are taken against these hazards.

Product name BRAYCOTE 803	MSDS # 25019-AM	Page: 2/5
Version 1	Date of issue 06/01/2005.	Format US
		Language ENGLISH.
	Build 4.2.3	(ENGLISH)

8. Exposure controls/personal protection

Occupational exposure limits

This product does not have any assigned OELs.

Control Measures No special ventilation requirements. Good general ventilation should be sufficient to control airborne levels. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure below any recommended or statutory limits.

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Personal protection

Eyes Avoid contact with eyes. Safety glasses with side shields or chemical goggles.

Skin and body Avoid prolonged or repeated contact with skin. Wear suitable protective clothing.

Respiratory Use only with adequate ventilation.

Hands Wear suitable gloves.

Not available.

Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

Physical state Solid.

Odor Odorless.

Color White Grease.

Heat of combustion Not available.

Specific gravity 1.8 to 2

Solubility insoluble in water.

10. Stability and reactivity

Stability and reactivity The product is stable.

Conditions to avoid Decomposes on heating to high temperature.

Incompatibility with various substances Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products These products are halogenated compounds, hydrogen fluoride.

Hazardous polymerization Will not occur.

11. Toxicological information

Chronic toxicity

Carcinogenic effects No component of this product at levels greater than 0.1% is identified as a carcinogen by ACGIH or the International Agency for Research on Cancer (IARC). No component of this product present at levels greater than 0.1% is identified as a carcinogen by the U.S. National Toxicology Program (NTP) or the U.S. Occupational Safety and Health Act (OSHA).

Product name BRAYCOTE 803

MSDS # 25019-AM

Page: 3/5

Version 1 **Date of issue** 06/01/2005.

Format US

Language ENGLISH.

Build 4.2.3

(ENGLISH)

Mutagenic effects

No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a mutagen.

Reproductive effects

No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a reproductive toxin.

Teratogenic effects

No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a reproductive toxin.

12. Ecological information

Ecotoxicity

No testing has been performed by the manufacturer.

13. Disposal considerations

Waste information

Avoid contact of spilled material and runoff with soil and surface waterways. Consult an environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, treatment, storage or disposal facilities.

Consult your local or regional authorities.

14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. Regulatory information

U.S. Federal regulations

US INVENTORY (TSCA): In compliance.

This product is not regulated under Section 302 of SARA and 40 CFR Part 355.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: BRAYCOTE 803: Immediate (Acute) Health Hazard

SARA 313

Form R - Reporting requirements

This product does not contain any hazardous ingredients at or above regulated thresholds.

Supplier notification

This product does not contain any hazardous ingredients at or above regulated thresholds.

CERCLA Sections 102a/103 Hazardous Substances (40 CFR Part 302.4):: This material is not regulated under CERCLA Sections 103 and 107.

State regulations

Pennsylvania RTK:Polytetrafluoroethylene (generic environmental hazard)

WARNING: This product contains a chemical known to the State of California to cause cancer. Tetrafluoroethylene, inhibited

Inventories

AUSTRALIAN INVENTORY (AICS): Not listed.

CANADA INVENTORY (DSL): Not listed.

CHINA INVENTORY (IECS): In compliance.

EC INVENTORY (EINECS/ELINCS): In compliance.

JAPAN INVENTORY (ENCS): In compliance.

KOREA INVENTORY (ECL): Not listed.

PHILIPPINE INVENTORY (PICCS): In compliance.

Product name BRAYCOTE 803	MSDS # 25019-AM	Page: 4/5
Version 1	Date of issue 06/01/2005.	Format US
		Language ENGLISH.
	Build 4.2.3	(ENGLISH)

16. Other information

Label requirements

CAUTION!

MAY CAUSE EYE IRRITATION.
MAY CAUSE SKIN IRRITATION.
MAY CAUSE RESPIRATORY TRACT IRRITATION.

HMIS® Rating :

Health 1
Flammability 1
Physical Hazard 0
Personal protection B

National Fire Protection Association (U.S.A.)



Other special considerations

A NFPA health hazard rating of "3" is assigned due to due to toxicity of thermal decomposition products and fluorine (HF); otherwise, the material itself warrants a health hazard rating of "1".

History

Date of issue

06/01/2005.

Date of previous issue

06/01/2005.

Prepared by

Product Stewardship

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Product name BRAYCOTE 803

MSDS #

25019-AM

Page: 5/5

Version 1

Date of issue 06/01/2005.

Format US

Language ENGLISH.

Build 4.2.3

(ENGLISH)