SAFETY DATA SHEET

SPI-Chem[™] Uranyl Formate (Depleted Uranium)

Section 1. Identification

GHS product identifier	: SPI-Chem™ Uranyl Formate (Depleted Uranium)			
Product code	: 02545-AA, 02545-AB			
Chemical name	: bis(formato-O)dioxouranium			
Other means of identification	Uranyl Formate Mono Hydrate			
Product type	: Solid.			
Relevant identified uses of	the substance or mixture and uses advised against			
Product use	: Laboratory chemicals. Stain for electron microscopy.			
Area of application	: Industrial applications, Professional applications.			
Supplier's details	: SPI Supplies Division Structure Probe, Inc. 206 Garfield Ave. West Chester, PA 19380 United States			
	Telephone: 1-(610)-436-5400 http://www.2spi.com			
E-mail address of person responsible for this SDS	: SDS@2spi.com			
Emergency telephone number	: SPI Supplies / Structure Probe Inc.			
	Phone: +1 484-313-4165			

Section 2. Hazards identification

OSHA/HCS status	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). 		
Classification of the substance or mixture	: H300ACUTE TOXICITY (oral) - Category 2H330ACUTE TOXICITY (inhalation) - Category 2H350CARCINOGENICITY - Category 1AH373SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2		
GHS label elements Hazard pictograms			
Signal word Hazard statements	 Danger H300 + H330 - Fatal if swallowed or if inhaled. H350 - May cause cancer. H373 - May cause damage to organs through prolonged or repeated exposure. (kidneys) 		
Precautionary statements	······································		
Date of issue/Date of revision	: 08/18/2023 Date of previous issue : No previous validation Version : 1 1/12		

Section 2. Hazards identification

Prevention	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection: Recommended: Use eye protection according to EN 166./NIOSH P284 - In case of inadequate ventilation wear respiratory protection: Recommended: Ensure an MSHA/NIOSH-approved respirator or equivalent is used P271 - Use only outdoors or in a well-ventilated area. P260 - Do not breathe dust. P270 - Do not eat, drink or smoke when using this product. P264 - Wash thoroughly after handling.
Response	 P308 + P313 - IF exposed or concerned: Get medical advice or attention. P304 + P340, P310 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. P301 + P310, P330 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth.
Storage	: P405 - Store locked up.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: Radioactive.

Section 3. Composition/information on ingredients

Substance/mixture	: Substance
Chemical name	: bis(formato-O)dioxouranium
Other means of identification	: Uranyl Formate Mono Hydrate

CAS number/other identifiers

CAS number : 16984-59-1

Ingredient name	Other names	%	CAS number
bis(formato-O)dioxouranium	-	100	16984-59-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary f	<u>rst aid measures</u>					
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. 					
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.					
Date of issue/Date of revision	: 08/18/2023 Date of previous issue : No previous validation Version : 1 2/12					

Section 4. First aid measures

Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Eye contact	: No known significant effects or critical hazards.
Inhalation	: Fatal if inhaled.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: Fatal if swallowed.
Over-exposure signs/	/symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO ₂ , alcohol-resistant foam or water spray (fog).
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Radioactive. No specific fire or explosion hazard.

Date	of	issue,	/Date	of	revision

: 08/18/2023 Date of previous issue

issue : No previ

3/12

Section 5. Fire-fighting measures

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides Uranium compounds Formic acid
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	: Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

4/12

Section 7. Handling and storage

Conditions for safe storage,	
including any	direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials
incompatibilities	(see Section 10) and food and drink. Store locked up. Keep container tightly closed and
	sealed until ready for use. Containers that have been opened must be carefully resealed
	and kept upright to prevent leakage. Do not store in unlabeled containers. Use
	appropriate containment to avoid environmental contamination. See Section 10 for
	incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
bis(formato-O)dioxouranium	OSHA PEL (United States, 5/2018). [Uranium Soluble compounds (as U)] TWA: 0.05 mg/m ³ , (as U) 8 hours. ACGIH TLV (United States, 1/2023). [Uranium (natural), soluble and insoluble compounds as U] TWA: 0.2 mg/m ³ , (as U) 8 hours. STEL: 0.6 mg/m ³ , (as U) 15 minutes.

Biological exposure indices

None known.

Appropriate engineering	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or			
controls	other engineering controls to keep worker exposure to airborne contaminants below any			
	recommended or statutory limits.			

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measure	<u>es</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: Use eye protection according to EN 166./NIOSH.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Date of issue/Date of revision	: 08/18/2023	Date of previous issue
--------------------------------	--------------	------------------------

Version :1

: No previous validation

Section 8. Exposure controls/personal protection

	Recommended: glove material: Nitrile rubber. thickness: 0.44 mm Breakthrough time: 480 minutes
	In splash contact: glove material: Nitrile rubber. thickness: 0.11 mm
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Ensure an MSHA/NIOSH-approved respirator or equivalent is used.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance	
Physical state	: Solid. [Crystalline solid.]
Color	: Yellow.
Odor	: Not available.
Odor threshold	: Not available.
рН	Not available.
Melting point/freezing point	: Not available.
Boiling point, initial boiling point, and boiling range	: Not available.
Flash point	: Not applicable.
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: Not applicable.
Vapor pressure	: Not available.
Relative vapor density	: Not applicable.
Relative density	: 2.89
Density	: Not available.
Solubility(ies)	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: 275°C (527°F)
SADT	: Not available.
Viscosity	: Not applicable.
Molecular weight	: 362.08 g/mole
Particle characteristics	
Median particle size	: Not available.
Date of issue/Date of revision	: 08/18/2023 Date of previous issue : No previous validation Version : 1 6/12

Section 9. Physical and chemical properties

Other information

Physical/chemical properties comments

: No additional information.

Section 10. Stability and reactivity

	<i>,</i>
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
bis(formato-O)dioxouranium	LD50 Oral LD50 Subcutaneous		204 mg/kg 8300 mg/kg	-

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Carcinogenicity

Conclusion/Summary : N	ot available.
------------------------	---------------

Conclusion/Summary : Not available.

Reproductive toxicityConclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

7/12

Section 11. Toxicological information

Name		Category	Route of exposure	Target organs
bis(formato-O)dioxouranium		Category 2	-	kidneys
Aspiration hazard Not available.				
Information on the likely routes of exposure	: Routes of entry anti	cipated: Oral, Dermal, Inł	halation, Eyes.	
Potential acute health effects	<u>}</u>			
Eye contact	: No known significan	t effects or critical hazard	ds.	
Inhalation	: Fatal if inhaled.			
Skin contact	: No known significan	it effects or critical hazard	ds.	
Ingestion	: Fatal if swallowed.			
Symptoms related to the phy	sical, chemical and to	kicological characteristi	ics	
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			
Delayed and immediate effect	ts and also chronic eff	ects from short and lon	<u>ng term exposure</u>	
Short term exposure				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Long term exposure				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Potential chronic health effe	ects			
General	: May cause damage	to organs through prolor	nged or repeated ex	kposure.
Carcinogenicity	: May cause cancer.	Risk of cancer depends	on duration and lev	el of exposure.
Mutagenicity	: No known significan	it effects or critical hazard	ds.	
Reproductive toxicity	: No known significan			

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name		Dermal (mg/kg)	(gases)	(vapors)	Inhalation (dusts and mists) (mg/ I)
bis(formato-O)dioxouranium	5	N/A	N/A	0.5	N/A

Other information	: Blood disorders, conjunctivitis, Symptoms may be delayed.					
Date of issue/Date of revision	: 08/18/2023	Date of previous issue	: No previous validation	Version	:1	8/12

Section 12. Ecological information

ToxicityConclusion/Summary: Not available.

Persistence and degradability
Not available.

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: Environmental hazards

Environmental hazards are possible in cases of inappropriate handling or disposal. Toxic to aquatic life with long lasting effects.

Section 13. Disposal considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of
this product, solutions and any by-products should at all times comply with the
requirements of environmental protection and waste disposal legislation and any regional
local authority requirements. Dispose of surplus and non-recyclable products via a
licensed waste disposal contractor. Waste should not be disposed of untreated to the
sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Waste packaging should be recycled. Incineration or landfill should only be considered
when recycling is not feasible. This material and its container must be disposed of in a
safe way. Care should be taken when handling emptied containers that have not been
cleaned or rinsed out. Empty containers or liners may retain some product residues.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and
sewers.

Section 14. Transport information

	DOT Classification	IMDG	IATA
UN number	UN2910	UN2910	UN2910
UN proper shipping name	Radioactive material, excepted package-limited quantity of material	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE - LIMITED QUANTITY OF MATERIAL	Radioactive material, excepted package — limited quantity of material
Transport hazard class(es)	7	7	7
Packing group	Ш	Ш	П
Environmental hazards	No.	Yes.	No.

Additional information

Date of revision : 08/18/2023 Date of previous issue : No previous validation version : 1 9/12	Date of issue/Date of revision	: 08/18/2023	Date of previous issue	: No previous validation	Version	:1	9/12
--	--------------------------------	--------------	------------------------	--------------------------	---------	----	------

Section 14. Transport information

DOT Classification	:	Limited quantity Yes. <u>Packaging instruction</u> Exceptions: 421, 422. Non-bulk: 421, 422. Bulk: 421, 422. <u>Special provisions</u> 368
IMDG	:	The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg. <u>Emergency schedules</u> F-I, S-S <u>Special provisions</u> 290, 368
ΙΑΤΑ	:	The environmentally hazardous substance mark may appear if required by other transportation regulations. <u>Quantity limitation</u> Passenger and Cargo Aircraft: Packaging instructions: See 10.3. Cargo Aircraft Only: Packaging instructions: See 10.3. Limited Quantities - Passenger Aircraft: Forbidden. Packaging instructions: Forbidden. <u>Special provisions</u> A130, A193
Special precautions for user	:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in bulk according	:	Not available.

to IMO instruments

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): This material is inactive.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
SARA 302/304	
Composition/information	on ingredients
No products were found.	
SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	
Classification	: ACUTE TOXICITY (oral) - Category 2 ACUTE TOXICITY (inhalation) - Category 2 CARCINOGENICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
Composition/information	<u>on ingredients</u>

Section 15. Regulatory information

•		
Name	%	Classification
bis(formato-O)dioxouranium	100	ACUTE TOXICITY (oral) - Category 2 ACUTE TOXICITY (inhalation) - Category 2 CARCINOGENICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

SARA 313

Not applicable.

State regulations

Massachusetts	: This material is not listed.
New York	: This material is not listed.
New Jersey	: This material is not listed.
Pennsylvania	: This material is not listed.
Oplifamile Duran OF	

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)

Section 16. Other information



Procedure used to derive the classification

Classification		Justification
ACUTE TOXICITY (oral) - Category 2 ACUTE TOXICITY (inhalation) - Category 2 CARCINOGENICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2		Expert judgment On basis of test data Expert judgment Expert judgment
History		
Date of issue/Date of revision	: 08/18/2023	
Date of previous issue	: No previous validation	
Version	: 1	
Prepared by	: Sphera Solutions	
Key to abbreviations	 Sphera Solutions ATE = Acute Toxicity Estimate AMP = Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations 	
References	HCS (U.S.A.) - Hazard Communication Standard International transport regulations	

V Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.