

Version 3

Reviewed on 09/05/2017

Printing date 09/05/2017

# **1** Identification

- · Product identifier
- Product Description: <u>Epoxy Reactive Diluent</u> <u>Epoxy Reactive Diluent</u>
- Product code: Cardolite NC-513
- CAS Number: 68413-24-1
- Application of the substance / the mixture Epoxy coating Epoxy resin adhesive Coating
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cardolite Corporation 11 Deer Park Drive, Suite 124 Monmouth Junction, NJ 08852 USA Tel: (973) 344-5015 Regulatory@cardolite.com
- · Information department: Product safety department
- Emergency telephone number: 24 Hour Emergency: 800-424-9300 CHEMTREC

### 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: Cashew, nutshell liq., polymer with epichlorohydrin
- · Hazard statements
- H317 May cause an allergic skin reaction.
- · Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves.
- P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)




Printing date 09/05/2017

Version 3

Reviewed on 09/05/2017

### **Product Description: Epoxy Reactive Diluent**



### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description 68413-24-1 Cashew, nutshell liq., polymer with epichlorohydrin • Identification number(s)

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

### 4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- $\cdot$  After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Printing date 09/05/2017

#### Version 3

Reviewed on 09/05/2017

(Contd. of page 2)

### Product Description: Epoxy Reactive Diluent

- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and storage

· Handling:

• Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

US



Printing date 09/05/2017

Version 3

Reviewed on 09/05/2017

### Product Description: Epoxy Reactive Diluent

(Contd. of page 3)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Goggles recommended during refilling.
- Body protection: Protective work clothing

# 9 Physical and chemical properties

<ul> <li>Information on basic physical and</li> <li>General Information</li> </ul>	chemical properties
<ul> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odor:</li> <li>Odor threshold:</li> </ul>	Liquid Light yellow Mineral-oil-like Not determined.
· pH-value at 25 °C (77 °F):	8
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. 305 ℃ (581 °F)
· Flash point:	> 270 °C (>518 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
<sup>·</sup> Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not determined.
<ul> <li>Density at 25 ℃ (77 °F):</li> <li>Relative density</li> <li>Vapor density</li> </ul>	0,97898g/cm <sup>3</sup> (8.16959 lbs/gal) Not determined. Not determined.
	(Contd. on page 5)



Printing date 09/05/2017

# Safety Data Sheet acc. to OSHA HCS

Version 3

Reviewed on 09/05/2017

### Product Description: Epoxy Reactive Diluent

		(Contd. of page
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/w	vater): Not determined.	
· Viscosity:		
Dynamic at 25 ℃ (77 °F):	50cps	
Kinematic:	Not determined.	
Solids content:	>99,0%	
<ul> <li>Other information</li> </ul>	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- Substance is not listed.
- · NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

### 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

US



Printing date 09/05/2017

Version 3

Reviewed on 09/05/2017

(Contd. of page 5)

#### **Product Description: Epoxy Reactive Diluent**

· Mobility in soil No further relevant information available.

- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, ADN, IMDG, IATA	Non-hazardous for transport
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Non-hazardous for transport
Transport hazard class(es)	
DOT, ADN, IMDG, IATA	
Class	Non-hazardous for transport
ADR	
Class	Non-hazardous for transport
	Miscellaneous dangerous substances and articles
Packing group	
DOT, ADR, IMDG, IATA	Non-hazardous for transport
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Non-hazardous for transport

(Contd. on page 7)



Version 3

Reviewed on 09/05/2017

### **Product Description: Epoxy Reactive Diluent**

(Contd. of page 6)

# 15 Regulatory information

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.

Printing date 09/05/2017

- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act):
- Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH)
- Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: Cashew, nutshell liq., polymer with epichlorohydrin
- Hazard statements
- H317 May cause an allergic skin reaction.
- Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves.
- P321 Specific treatment (see on this label).
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 8)



Printing date 09/05/2017

#### Version 3

Reviewed on 09/05/2017

#### **Product Description: Epoxy Reactive Diluent**

	(Contd. of page 7)
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international

1 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr Eleazar dela Cruz
- · Date of preparation / last revision 09/05/2017 / 2
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- TVL: Treshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Sens. 1: Skin sensitisation Category 1

US