SPI Supplies Division

Structure Probe, Inc.

P.O. Box 656 West Chester, PA 19381-0656 USA **Phone:** 1-(610)-436-5400 **Fax:** 1-(610)-436-5755

spi3spi@2spi.com http://www.2spi.com

Manufacturer's CAGE: 1P573

Safety Data Sheet

Date Effective: April 14, 2016

SPI #02701-AB, 02701A-AB

Chrysotile A Rhodesian Asbestos Analytical Standard

SPI#02740-AB, 05740A-AB

Chrysotile B Canadian Asbestos Analytical Standard

Section 1: Identification

Chemical Name/Synonyms Chrysotile Asbestos / White asbestos / Serpentine chrysotile

Chemical family Hydrous silicates of magnesium

Emergencies

Contacting CHEMTREC:

24 Hour Emergency Use Only #'s... Worldwide phone: 1-(703)-741-5970

Toll-free phone: 1-(800)-424-9300 USA + Canada only

Product or Trade Name Asbestos, chrysotile

CAS #'s 12001-29-5

 $Chemical\ Formula.....Mg_3Si_2H_4O_6\ /\ Mg_3(Si_2O_5)(OH)_4$

INTENDED USE: Laboratory standard in the microscopy laboratory.

HAZARDS IDENTIFICATION

Classification of the substance:

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogen: category 1A Target organ: Lungs Skin irritation: category 2 Eye irritation: category 2A

Acute toxicity, dermal: category 4

RTECS# CI6478500

Tumorigen Mutagen Human Data Natural product

Pictograms:





Signal Word: Danger

Hazard Statements:

H303 May be harmful if swallowed.

H315 Causes skin irritation.

H320 Causes eye irritation

H331 Toxic if inhaled.

H350 May cause cancer.

Precautionary Statements

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284 Wear respiratory protection.

NFPA Rating (estimated)

Health	1
Flammability	0
Reactivity	0

Section 2: Composition

Name CAS # EC# Approximate Weight %

Chrysotile 12001-29-5 650-013-00-6 >99.99%

Confirmed carcinogen by ACGIH, IARC, OSHA AND NTP.

Section 3: Hazard Identification

Potential Health Effects:

Acute: Overexposure to breathing asbestos may cause asbestosis, pulmonary fibrosis, mesothelioma, other lung disorders or cancer. Handling of materials and smoking or eating prior to washing could be hazardous. Medical examination and x-rays are required to determine signs & symptoms of exposure.

Routes of exposure: Inhalation, Skin contact, Ingestion

Inhalation Risk:

Evaporation at 20 °C is negligible; a harmful concentration of airborne particles can, however, be reached quickly.

Medical Conditions Aggravated by Exposure:

Pulmonary disease

Occupational Exposure Limits:

TLV: 0.1 fiber/cc - Confirmed human carcinogen (A1).

(ACGIH 2004. For fibers longer than 5A° with an aspect ratio equal to or greater than 3:1 as determined at 400-450X magnification by the membrane filter method).

EU OEL: 0.1 fibers/cc (EU 2003).

NIOSH REL to ASBESTOS - air: 100M TWA 0.1 fiber/cc in a 400L air sample: NIOSH DHHS #92-100, 1992.

Incompatibilites:

Strong oxidizers, strong acids, and bases

Route of entry: Inhalation, Skin contact, Ingestion

Target organs: Lungs

Symptoms:

There are not acute signs or symptoms associated with asbestos. Diseases associated with over exposure are chronic, generally taking from 10 to 40 years to become apparent. Inhalation symptom: Cough.

Effects of long-term or repeated exposure:

The substance may have effects on the lungs, resulting in pulmonary fibrosis and mesothelioma. This substance is carcinogenic to humans.

Section 4: First Aid Measures

Eyes: In case of contact, immediately flush eyes with copious amounts of flowing water for at least 15 minutes, retracting eye lids often. Get medical attention immediately. Contact lenses should not be worn when working with this product.

Skin: Wash skin thoroughly with mild soap and water. Flush with copious amounts of water for 15 minutes.

Inhalation: Move the exposed person to fresh air at once. Support breathing. If symptoms persist contact physician.

Ingestion: Get medical aid immediately.

Section 5: Fire Fighting Measures

Flammability classification: Not classified.

Heat resistant up to 500°C; is completely decomposed at a temperature of 1000°C.

Flash Point/Method: Not known

Auto-Ignition Temperature: Not determined

Flammable Limits:

Lower: Not applicable Upper: Not applicable

Extinguishing Media: Water, Foam, Dry Chemical

Unusual Fire Hazards: Toxic gases and asbestos particulate may be released in a fire.

Firefighting procedures/instructions: Use NIOSH approved self-contained breathing apparatus and full protective equipment.

Properties that could increase fire or explosion hazard: Combustibility of this material results from paraffin lubrication.

Section 6: Accidental Release Measures

Use HEPA vacuum wet methods when feasible. Use appropriate personal protection for clean-up personnel.

Section 7: Handling and Storage

Storage and handling:

Store in well-sealed container in cool, dry area.

Section 8: Exposure Controls and Personal Protection

ANSI approved eye wash and deluge shower should be available in the work area.

Personal Protective Equipment (PPE):

Eye/Face Protection: ANSI 87.1 approved chemical safety glasses with side shield.

Protective gloves: Rubber gloves

Protective clothing: Wear protective clothing to prevent skin contact. Do NOT take working clothes home.

Respiratory Protection:

Wear NIOSH approved respirator in accordance with 29CFR1910.1001.

Other: Wash prior to eating, drinking, or smoking. Avoid ingestion or breathing of dust.

Section 9: Physical and Chemical Properties

Appearance: Fibrous solid

Color: White, gray, greenish, or yellowish

pH: Not applicable Odor: None

Vapor Pressure: Not applicable Vapor Density (Air=1): Not available Boiling Point/Range: Not available

Melting Point/Range: Decomposes above 500°C

Specific Gravity: 2.2 to 2.6 g/cc

Solubility in water: None

Softening Point: Not determined

Molecular Formula: Mg₃Si₂H₄O₆ / Mg₃(Si₂O₅)(OH)₄

Molecular Mass: 277

%Volatile by Volume: Not determined

Evaporation Rate (n-butyl acetate = 1): Not available

Viscosity: Not available

Section 10: Stability and Reactivity

Chemical Stability: The product is stable under normal use conditions.

Conditions to Avoid:

Prevent dispersion of dust. Avoid all contact. Avoid airborne concentrations at or above OSHA PEL.

Incompatibility (materials to avoid): Strong oxidizers, strong acids, and bases.

Hazardous Products of Decomposition:

None known

Reactions with Air and Water:

Avoid airborne concentrations at or above OSHA PEL.

Section 11: Toxicological Information

RTECS# CI6478500

Tumorigen Mutagen Human Data Natural product

Known human carcinogen.

Smoking enhances the risk of lung cancer.

International Chemical Safety Card # 0014

Toxicity Data: Asbestos, Chrysotile

Route	Organism	Dose	<u>Duration</u>
Inhalation	Human	TCLo 2.8 fb/cc	5 Yr
Intraperitoneal	Rat	LDLo 300 mg/kg	
Intrapleural	Rat	TDLo 150 mg/kg	
Intraperitoneal	Mouse	TDLo 100 mg/kg	
Intratracheal	Rat	TDLo 10 mg/kg (TXA	APA9 207,221,2005)
Intratracheal	Rat	TDLo 54 mg/kg (TOVEFN -,21,2008)	
in Vitro	Dog kidney	IC50 0.95 ug/cm2	7 Day
in Vitro	Dog kidney	IC50 >1000 mg/L	17 Hour
in Vitro	Dog kidney	ICLo 5 ug/well	5 Hour

Section 12: Ecological Information

None available.

Section 13: Disposal Considerations

Bury waste is solid landfill as required in 29CFR1910.1001. Comply with all applicable OSHA, Federal, State and Local regulations.

Section 14: Transport Information

US DOT:

According to 49 CFR 172.01

Name: White Asbestos (Chrysotile)

Class: 9

UN Number: UN 2590

Packing Group: III Label Code: Class 9

IATA:

Name: White Asbestos (Chrysotile)

UN Number: UN 2590

Class:9

Packing Group: III

Section 15: Regulatory Information

United States:

TSCA

This product is listed under the TSCA Inventory.

TSCA Section 12b:

CAS# 12001-29-5 Chrysotile asbestos

Section 6, 0.1% de minimus concentration (see 40 CFR 763)

CERCLA:

This product has an RQ of 1 pound under CERCLA.

SARA: Section 313

This product is listed under SARA Section 313.

Acute: No Chronic: Yes Fire: No Reactive: No

Sudden Release: No

STATE RIGHT-TO-KNOW:

CAS# 12001-29-5, Asbestos, Chrysotile, is listed on the MA, MN, NJ, and PA state right-to-know lists.

California Prop. 65:

Asbestos a known carcinogen under California Prop. 65.

US Statements:

Confirmed carcinogen. Target organs: Lung

European/International Regulations:

European Labeling in Accordance with EC Directives

Hazard Symbols: T Toxic

Risk Phrases:

R23 Toxic by Inhalation R45 May cause cancer

R48 Danger of serious damage to health by prolonged exposure

R49 May cause cancer by inhalation

Safety Phrases:

S53 Avoid exposure.

S45 In case of accident, or if you feel unwell, seek medical advice

immediately (show the label where possible.)

Canada

This product has a WHMIS classification of D2B.

DSL/NDSL

This product, CAS# 12001-28-4, is not listed on the DSL List and is not listed on the NDSL List. However, CAS# 1332-21-4 asbestos is listed on the DSL List.

Section 16: Other Information

Disclaimer of Liability:

Caution! Do not use SPI Supplies products or materials in applications involving implantation within the body; direct or indirect contact with the blood pathway; contact with bone, tissue, tissue fluid, or blood; or prolonged contact with mucous membranes. Products offered by SPI Supplies are not designed or manufactured for use in implantation in the human body or in contact with internal body fluids or tissues. SPI Supplies will not provide to customers making devices for such applications any notice, certification, or information necessary for such medical device use required by US FDA (Food and Drug Administration) regulation or any other statute. SPI Supplies and Structure Probe, Inc. make no representation, promise, express warranty or implied warranty concerning the suitability of these materials for use in implantation in the human body or in contact with internal body tissues of fluids.

The information and recommendations set forth above are taken from sources believed to be accurate as of the date hereof, however SPI Supplies and Structure Probe, Inc. make no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assume no liability to any user thereof. The information contained in this sheet does not constitute a hazard assessment and should not be used in place of the user's own assessment of work place risks as required by other health and safety legislation. Be aware of the Structure Probe, Inc. Copyright Policy. Structure Probe, Inc. grants a nonexclusive license to make unlimited copies of this safety sheet for internal use only. Quite obviously, this information would pertain only to this material when purchased from SPI Supplies as product from other sources, with other ingredients and impurity levels could have substantially different properties.