Safety Data Sheet

TorrLube Extreme and High Temp Purity Grease

This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements of other countries.

Section I. Material Identification	
Product Name	TorrLube Extreme and Purity Grease(s)
Chemical Family	Synthetic Lubricating Grease
Manufacturer	The TorrLube Company, LLC 3769 Constellation Rd., Suite F Vandenberg Village, CA 93436
Emergency Phone Number	805-733-1476
Date	4-16-2019

Section II. Ingredients	
CAS Number	9002-84-0
Chemical Name	Polytetrafluoroethylene
Percentage	<20
Hazardous Material Identification Systems	Health - 0, Flammability - 0, Reactivity - 0, Personal Protection - B.

Section III. Physical Data	
Boiling Point	N/A
Vapor Pressure	< 0.001 Torr @ 25 ⁰ C
Vapor Density (Air =1)	> 1
Water Solubility (%)	Negligible @ 25° C
Appearance and Odor	White Synthetic Grease, No Odor

Evaporation Rate	< 1% @ 100° C
Specific Gravity	1.98 @ 25 ⁰ C
% Volatile by Volume	NA

Section IV. Fire and Explosion Data	
Flash Point (Method)	Non Flammable - Does Not Flash
Flammable Limits	(LEL) (UEL)
Extinguishing Media	Dry Chemical, CO ₂ , Foam or Sand/Earth
Unusual Fire or Explosion Hazards	Smoke
Thermal Decomposition	ca. 350 C (662 F)
Special Fire-Fighting Procedures	Avoid smoke inhalation. Water or foam may cause frothing. Cool exposed container with water. Use Air-supplied rescue equipment for enclosed areas.
Unusual Fire and Explosion Hazard	Do not store or mix with strong oxidants. Empty containers and retain residue. Do not cut, drill, grind, or weld, as they may explode.

Section V. Reactivity Data	
Stability	Stable

Hazardous Polymerization	Will Not Occur
Chemical Incompatibilities	Avoid contact with strong oxidants, such as liquid chlorine and concentrated oxygen.
Hazardous Decomposition Products	Burning may produce carbon monoxide, carbon dioxide, as well as small amounts of other fumes.
Other	Avoid contamination of cigarettes or other tobacco products.

Section VI. Health Hazard Information	
This product is not considered a human carcinogen by any recognized source.	
Threshold Limit Value	5 mg/m³ for oil mist in air. OSHA Regulation 29 CFR 1910.1000.
Effects of Overexposure	Prolonged or repeated skin contact may cause skin irritation. Product contacting the eyes may cause eye irritation.
Medical Condition Which May be Aggravated by Contact	None
Target Organs	Skin, eyes, respiratory passages (high temperatures only)
Primary Entry Route(s)	Skin, eyes, inhalation (high temperatures only)
Acute Effects	Possible skin and eye irritation. Possible respiratory passage irritation at hi temperatures.
Chronic Effect(s)	None expected with normal exposure
Acute Effects	Possible skin and eye irritation. Possible respiratory passage irritation at hi temperatures.
Chronic Effect(s)	None expected with normal exposure

Section VII. First Aid Measures	
Eye Contact	Flush thoroughly with clear water for 15 minutes or until irritation subsides. Contact physician.
Skin Contact	Wash with soap and water. Remove any contaminated clothing and wash with soap and water.
Inhalation	Move to fresh air and refer to a physician for treatment.
Injection	Consult Physician Immediately.
Ingestion	Consult Physician Immediately.
Other	Exercise ordinary measures of personal hygiene.

Section VIII. Spill, Leak, and Disposal Procedures

Spill/Leak Procedures	Wipe or scrape up spillage and place it in a container for disposal. May be absorbed with an inert material such as sand, soil, or vermiculite. Wash walking surfaces thoroughly with detergent and water to reduce slipping hazard. Keep these products out of sewers and water courses. Advise authorities if product has or may enter sewers and water courses.
Waste Management Disposal	Assure conformity with applicable disposal regulations. Consult local, State and Federal regulations applicable to your area.

Section IX. Special Protection Information	
Goggles	Safety glasses recommended.
Gloves	Oil resistant gloves recommended, especially avoiding prolonged or repeated skin contact.
Respirator	Not required unless mists, smoke or vapors are produced at hi temperatures.
Other	Use oil resistant apron, if needed.
Ventilation	None required unless mists, smoke or vapors are produced at high temperature.

Section X. Special Precautions	
Storage Segregation	Not Needed
Special Handling/Storage	Exercise ordinary care in handling industrial lubricants. Will not degrade if unopened.
Other Precautions	Keep containers closed when not in use. Do not handle or store near heat, sparks, flame or strong oxidants. Avoid contamination of cigarettes or other tobacco products. Wash hands thoroughly before smoking. Users should be alert to the possibility that very small percentages of the population may display unexpected allergic skin reactions to otherwise innocuous industrial lubricants.

Section XI. Toxicological Information

Special Hazard Information on Components

These synthetic lubricants are not known to pose toxicological risks when used as intended.

Section XII. Ecological Information

Environmental Fate and distribution

Grease is not readily biodegradable.

Section XIII. Disposal Considerations

RCRA Hazard Class (40 CFR 261)

This lubricant is not a hazardous waste when the as received lubricant is discarded.

Section XIV. Transport Information	
DOT Road Shipment Information (49 CFR 171.101)	Not subject to DOT
Ocean Shipment (IMDG)	Not subject to IMDG
Air Shipment	Not subject to (IATA)

Section XV. Regulatory Information

Contents of this MSDS comply with OSHA HAZARD Communication Standard 29 CFR 1910.1200

TSCA Status: All chemical substances listed are included or exempt from listing on TSCA.

EPA SARA Title III Chemical Listing

This product contains no extremely hazardous or hazardous substances

CERCLA Hazardous Substance: None

Section XVI. Other Information

While the information and recommendations set forth herein are believed to be accurate as of the date hereof, The TorrLube Company, LLC. Makes no warranty with respect thereto and disclaims all liability with respect thereon.

Page 5

Revision Date 4.16.2019

The TorrLube Company, LLC 3769 Constellation Rd., Suite F Vandenberg Village, CA 93436

www.torrlube.com Federal ID No.77-0517096 Phone: 805.733.1476 Fax: 805.733.1432

Email: sales@torrlube.com