

# 1. Product and company identification

Product name	Braycote 1729
MSDS #	461895
Historic MSDS #:	25002-AE
Code	461895-US03
Product use	Lubricant For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Manufacturer	Castrol Industrial North America, Inc. 150 W. Warrenville Road Naperville, IL 60563
Supplier	Castrol Industrial North America, Inc. 150 W. Warrenville Road Naperville, IL 60563 Product Information: +1-877-641-1600
EMERGENCY SPILL INFORMATION:	1 (800) 424-9300 CHEMTREC (USA)

# 2. Hazards identification

Physical state	Grease		
Color	Off-white.		
Emergency overview	CAUTION !		
	MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.		
In accordance with good industrial hygiene and safety work practices, airborne expos be controlled to the lowest extent practicable. Avoid contact with eyes, skin and clothin with adequate ventilation. Keep container tightly closed and sealed until ready for thoroughly after handling.			
Routes of entry Dermal contact. Eye contact. Inhalation. Ingestion.			
Potential health effects			
Eyes	May cause eye irritation.		
Skin	May cause skin irritation.		
Inhalation May cause respiratory tract irritation.			
Ingestion Ingestion may cause gastrointestinal irritation and diarrhea.			
See toxicological information (section 11)			

# 3. Composition/information on ingredients

This product does not contain any hazardous ingredients at or above regulated thresholds.

Product name Braycote 1729			Product code	461895-US03	Page: 1/5
Version 1.02 Date of issue	09/30/2010.	Format	US	Language	ENGLISH.
			(US)		(ENGLISH)

# 4. First aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately. Get medical attention if symptoms occur.
Notes to physician	Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discolored and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimize tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.

# 5. Fire-fighting measures

Fire/explosion hazards	In a fire or if heated, a pressure increase will occur and the container may burst.
Extinguishing media	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	Do not use water jet.
Fire-fighting procedures	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous combustion products	Combustion products may include the following: halogenated compounds carbon oxides (CO, CO <sub>2</sub> ) (carbon monoxide, carbon dioxide)
Protective clothing (fire)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Special remarks on fire hazards	Hazardous decomposition products: Hydrogen fluoride (HF). and Carbonyl fluoride

# 6. Accidental release measures

Personal precautions	No action shall be taken involvir and unprotected personnel from accordance with good industrial controlled to the lowest extent p respirator when ventilation is ina section 8).	entering. Do not touch or hygiene and safety work p racticable. Provide adequa	walk through spilled in ractices, airborne exp ate ventilation. Wear	material. In osures should be appropriate
Environmental precautions	Avoid dispersal of spilled materi Inform the relevant authorities if waterways, soil or air).			
Methods for cleaning up				
Large spill	Stop leak if without risk. Move of entry into sewers, water courses treatment plant or proceed as for absorbent material e.g. sand, ea disposal according to local regu contractor. Contaminated abso Note: see section 1 for emerger	s, basements or confined a ollows. Contain and collect arth, vermiculite or diatoma lations (see section 13). D rbent material may pose th	reas. Wash spillages spillage with non-con ceous earth and plac ispose of via a license e same hazard as the	into an effluent hbustible, e in container for ed waste disposal spilled product.
Small spill	Stop leak if without risk. Move a soluble or absorb with an inert of Dispose of via a licensed waste	ry material and place in an		
Product name Braycote 1729	)	Product code	461895-US03	Page: 2/5
Version 1.02 Date of issue	09/30/2010.	Format US	Language	ENGLISH.
		(US)		(ENGLISH)

## 7. Handling and storage

Handling

Storage

Put on appropriate personal protective equipment (see section 8). Workers should wash hands and face before eating, drinking and smoking. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see section 10). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# 8. Exposure controls/personal protection

### Occupational exposure limits

Personal protection

#### Some states may enforce more stringent exposure limits.

- **Control Measures** Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- **Hygiene measures** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

### Eyes Avoid contact with eyes. Safety glasses with side shields or chemical goggles.

- Skin and body Avoid contact with skin and clothing. Wear suitable protective clothing.
- **Respiratory** Use adequate ventilation. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable.
- Hands The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

### 9. Physical and chemical properties

Physical state	Grease
Color	Off-white.
Density	1890 kg/m³ (1.89 g/cm³) at 15.6°C
Viscosity	Kinematic: 65.5 mm²/s (65.5 cSt) at 40°C
Solubility	insoluble in water.

# 10. Stability and reactivity

Stability and reactivity	The product is stable.		
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.		
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).		
Incompatibility with various substances	Lewis acids at high temperature.		
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.		
Product name Braycote 172	9 Product code 461895-US03 Page: 3/5		

Product name Braycote 1729	Product code	461895-US03 Page: 3/	5
Version 1.02 Date of issue 09/30/2010.	Format US	Language ENGLIS	н.
	(US)	(ENGLIS	<b>H)</b>

### 11. Toxicological information

### **Other Toxicity Data**

Decomposition products thermal decomposition may release hazardous gases. Hydrogen fluoride (HF). Inhalation of decomposition products (occurs if heated > 260 C) or of smoke from contaminated tobacco products may cause respiratory irritation and induce Polymer Fume Fever condition. Symptoms of exposure to decomposition products are: lung irritation, pulmonary edema, flu-like symptoms (example - fever chills).

#### Other information

#### Potential chronic health effects

Carcinogenicity No known significant effects or critical hazards.

### 12. Ecological information

#### **Ecotoxicity**

No testing has been performed by the manufacturer.

### 13. Disposal considerations

#### Waste information

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

NOTE: The generator of waste has the responsibility for proper waste identification (based on characteristic(s) or listing), transportation and disposal

### 14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

### 15. Regulatory information

All components are listed or exempted.		
TSCA 12(b) one-time export: Polytetrafluoroethylene		
SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Braycote 1729: Immediate (acute) health hazard		
This product does not contain any hazardous ingredients at or above regulated thresholds.		
This product does not contain any hazardous ingredients at or above regulated thresholds.		
CERCLA: Hazardous substances.: No products were found.		

Product name Braycote 1729	Produ	uct code 461895-US03 Page: 4/5	
Version 1.02 Date of issue 09/30	10. Format US	Language ENGLISH.	
	(US)	(ENGLISH)	)

#### State regulations **Massachusetts** None of the components are listed. **Substances** None of the components are listed. **New Jersey Hazardous Substances** Pennsylvania RTK The following components are listed: ETHENE, TETRAFLUORO-, HOMOPOLYMER **Hazardous Substances** California Prop 65: No products were found California Prop. 65 Inventories **Canada inventory** All components are listed or exempted. **Europe inventory** All components are listed or exempted. Australia inventory (AICS) All components are listed or exempted. China inventory (IECSC) All components are listed or exempted. Japan inventory (ENCS) All components are listed or exempted. Korea inventory (KECI) All components are listed or exempted. **Philippines inventory** All components are listed or exempted. (PICCS)

### 16. Other information

Label requirements	ments CAUTION !			
	MAY CAUSE RES	SPIRATORY	TRACT, EYE AND SKIN	IRRITATION.
HMIS® Rating :	Health 1 Flammability 1 Physical 0 Hazard Personal B protection	-	National Fire Protection Association (U.S.A.)	Health <b>3</b> <b>0</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>
Other special considerations				xicity of thermal decomposition products a health hazard rating of "1".
History				
Date of issue	09/30/2010.			
Date of previous issue	04/15/2010.			
Prepared by	Product Stewards	ship		

#### Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Product name Braycote 1729			Product code	461895-US03	Page: 5/5
Version 1.02 Date of issue	09/30/2010. <b>F</b>	ormat	US	Language	ENGLISH.
			(US)		(ENGLISH)