



Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment
400 40xy	Fire Hazard 0	
** **	Reactivity	See Section 15.

Section 1. Chemical Product and Company Identification			Page Number: 1
Common Name/ Trade Name	Potassium dichromate	Catalog Number(s).	P1281, P1282, P1283
		CAS#	7778-50-9
Manufacturer	SPECTRUM CHEMICAL MFG. CORP.	RTECS	HX7680000
	14422 S. SAN PEDRO STREET GARDENA, CA 90248	TSCA	TSCA 8(b) inventory: Potassium dichromate
Commercial Name(s)	Not available.	CI#	Not available.
Synonym	Bichromate of potash; Dipotassium Dichromate; Potassium bichromate; Potassium dichromate (VI)	IN CASE OF EMERGENCY	
Chemical Name	Dichromic Acid, dipotassium salt	CHEMTREC	C (24hr) 800-424-9300
Chemical Family Not available.		CALL (310) 516-8000	
Chemical Formula	K2Cr2O7	-	
Supplier	SPECTRUM CHEMICAL MFG. CORP. 14422 S. SAN PEDRO STREET GARDENA, CA 90248		

				Exposure Limits		
Name		CAS#	TWA (mg/m³)	STEL (mg/m³)	CEIL (mg/m³)	% by Weight
1) Potassium dichromate	9	7778-50-9	0.05			100
Toxicological Data on Ingredients Potassium dichromate: ORAL (LD50): Acute: 25 mg/kg [Rat]. 190 mg/kg [Mouse]. DERMAL (LD50): Acute: 14 mg/kg [Rabbit].						

Section 3. Hazards Identification

Potential Acute Health Effects

Extremely hazardous in case of skin contact (permeator). Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive, sensitizer), of eye contact (corrosive), of inhalation (lung irritant). Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Potential Chronic Health Effects

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified A1 (Confirmed for human.) by ACGIH.

MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to blood, kidneys, lungs, liver, upper respiratory tract, skin, eyes.

Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Potassium dichromate Page Number: 2

Section 4. First Aid Measures			
Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.		
Skin Contact	After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention.		
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.		
Inhalation	Allow the victim to rest in a well ventilated area. Seek immediate medical attention.		
Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.		
Ingestion	Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.		
Serious Ingestion	Not available.		

Section 5. Fire and Explosion Data		
Flammability of the Product	Non-flammable.	
Auto-Ignition Temperature	Not applicable.	
Flash Points	Not applicable.	
Flammable Limits	Not applicable.	
Products of Combustion	Not available.	
Fire Hazards in Presence of Various Substances	combustible materials, organic materials	
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.	
Fire Fighting Media and Instructions	Not applicable.	
Special Remarks on Fire Hazards	Dangerous in contact with organic materials. Contact with combustible or organic materials may cause fire. When heated to decomposition it emits toxic fumes of potassium oxide	
Special Remarks on Explosion Hazards	Reacts explosively with hydrazine, and anydrous hydroxylamine.	

Section 6. Accidental Release Measures		
Small Spill	Use appropriate tools to put the spilled solid in a convenient waste disposal container.	
Large Spill	Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.	

Potassium dichromate Page Number: 3

Section 7. Handling and Storage		
Precautions	Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material Do not breathe dust. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If you feel unwell, seek medical attention and show the label when possible. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials.	
Storage	Oxidizing materials should be stored in a separate safety storage cabinet or room.	

Section 8. Exposure Controls/Personal Protection		
Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.	
Personal Protection	Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.	
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.	
Exposure Limits	CEIL: 0.1 (mg(CrO3)/m³) from OSHA (PEL) [United States] TWA: 0.05 (mg(Cr)/m³) from ACGIH (TLV) [United States]	
	Consult local authorities for acceptable exposure limits.	

Section 9. Physical and Chemical Properties			
Physical state and appearance	Solid.	Odor	Odorless.
Molecular Weight	294.2 g/mole	Taste	Bitter. metallic.
pH (1% soln/water)	4 [Acidic.]	Color	Orange-Red.
Boiling Point	Decomposition temperature: 500℃ (932年)		
Melting Point	398℃ (748.4뚜)		
Critical Temperature	Not available.		
Specific Gravity	2.676 @ 25 deg. C(Water = 1) Bulk Density: 1.6 g/m3 @ 20 deg. C		
Vapor Pressure	Not applicable.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	Not available.		
Ionicity (in Water)	Not available.		
Dispersion Properties	See solubility in water.		
Solubility	Easily soluble in hot water. Soluble in cold water. Solubility in water: 4.9 g/100 ml water @ 0 deg. 0 Solubility in water: 10.5% (w/w) @ 20 deg. C Solubility in water: 102 g/100 ml water @ 100 de Insoluble in alcohol.		

Potassium dichromate Page Number: 4

Section 10. Stability and Reactivity Data			
Stability	The product is stable.		
Instability Temperature	Not available.		
Conditions of Instability	Incompatible materials		
Incompatibility with various substances	Reactive with reducing agents, combustible materials, organic materials, metals, acids, alkalis.		
Corrosivity	Non-corrosive in presence of glass.		
Special Remarks on Reactivity	Reacts violently or ignites with ethylene glycol above 100 deg. C Other Incompatibles: combustible, organic, or other readily oxidizable materials such as paper, wood, sulfur, aluminum, iron, tungsten, sulfuric acid + acetone, born + silicon, glycol, sulfur, plastics, hydrazine, hydroxylamine.		
Special Remarks on Corrosivity	Not available.		
Polymerization	No.		

Section 11. Toxicological Information		
Routes of Entry	Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.	
Toxicity to Animals	Acute oral toxicity (LD50): 25 mg/kg [Rat]. Acute dermal toxicity (LD50): 14 mg/kg [Rabbit].	
Chronic Effects on Humans	CARCINOGENIC EFFECTS: Classified A1 (Confirmed for human.) by ACGIH. MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. May cause damage to the following organs: blood, kidneys, lungs, liver, upper respiratory tract, skin, eyes.	
Other Toxic Effects on Humans	Extremely hazardous in case of skin contact (permeator). Very hazardous in case of skin contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive, sensitizer), of eye contact (corrosive), of inhalation (lung irritant).	
Special Remarks on Toxicity to Animals	Lowest Published Lethal Dose: LDL [Man] - Route: Oral; Dose: 143 mg/kg LDL [Child] - Route: Oral; Dose 26 mg/kg	
Special Remarks on Chronic Effects on Humans	Passes through the placental barrier in animal. May cause adverse reproductive effects and birth defects (teratogenic). May affect genetic material (mutagenic). Can cause cancer.	
Special Remarks on other Toxic Effects on Humans	Acute Potential Health Effects: Skin: It causes skin irritation and may cause skin burns. It can be absorbed by the skin and cause systemic effects. Deep ulceration of the skin of the hands, resulting from occupational exposure can penetrate as far	

as the bone in severe cases.

Eyes: Causes eye irritation and may cause eye burns. It may cause severe damage with possible loss of vision, transient corneal bulging, residual irregular astigmatism, and anesthesia of the area after bulging

Inhalation: Causes respiratory tract irritation. Inhalation of dust or mist can also cause irritation of the nose and eyes. Symptoms may include sneezing, rhinorrhea, throat erythema, nasal septum lesions, or perforation with with bleeding, disharge, or crusting

Ingestion: Harmful if swallowed. When ingested in small amounts, it can cause burns of the esophagus, with possible stricture formation and perforation of the stomach. Symptoms may include adbominal and esophageal pain, nausea, vomiting, hypermotility, diarrhea, gastrointestinal tract irritation and bleeding, respiratory distress, cyanosis, coma, and death. It may also affect the cardiovascular system (cardiovascular shock, peripheral vascular collapse, urinary system (kidney damage - nephritis with glycosuria, acute tubular necrosis, renal failure), liver (elevated liver enzyme levels, hepatits, hepatic failure), behavior/central nervous system/nervous system (somnolence, ataxia, vertigo, muscle cramps). It may also affect the blood and cause anemia, methemglobinemia (characterized by dizziness, drowsiness, headache, shortness of breath, cyanosis with bluish skin, rapid heart rate and chocolate-brown colored blood), thrombocytopenia.

Chronic Potential Health Effects:

Skin: Repeated or prolonged skin contact can produce eczemateous allergic contact dermatitis with deep ulcers that do not heal.

Inhalation: Repeated or prolonged inhalation can cause chronic rhinitis, coughing, dyspnea, wheezing, substernal pain, asthma, perforation of the nasal septum, and mucous membrane injury.

Ingestion: Hexavalent chromium has been reported to cause liver and kidney damage with chronic exposure.

Continued on Next Page

Potassium dichromate Page Number: 5

Chronic ingestion may also affect the blood and cause anemia, methemglobinemia (characterized by dizziness, drowsiness, headache, shortness of breath, cyanosis with bluish skin, rapid heart rate and chocolate-brown colored blood), thrombocytopenia, and may affect metabolism (weight loss). Prolonged exposure may also cause erosion and discoloration of teeth.

Section 12. Ecologic	cal Information
Ecotoxicity	Ecotoxicity in water (LC50): 75 mg/l 96 hours [Fish (Striped bass)]. 1.5 mg/l 24 hours [Daphnia (daphnia)]. 17.3 mg/l 11 hours [Fish (Fathead minnow)].
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are more toxic.
Special Remarks on the Products of Biodegradation	Dangerous to aquatic life in high concentrations. Chromium probably occurs as the insoluble (CrIII) oxide (Cr2O3.nH2O) in the soil, as the organic matter in the soil is expected to reduce any soluble chromate to insoluble chromic oxide (Cr2O3). Chromium in the soil can be transported to the atmosphere by way of aerosol formation. Chromium is also transported from the soil through runoff and leaching of water. Most of the chromium in surface waters may be present in particulate from as sediment. Some of the particulate chromium would remain as suspended matter and ultimately be deposited in the sediments. Chromium present usually as (CrIII) in the soil and is characteriszed by its lack of mobility, except in cases where Cr(VI) is involved. Chromium (VI) of natural origin is rarely found.

Section 13. Disposal Considerations

Waste Disposal

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14. Transport Information		
DOT Classification	CLASS 6.1: Poisonous material. CLASS 5.1: Oxidizing material.	
Identification	UNNA: 3086 : Toxic Solids, Oxidizing, n.o.s (Potassium Dichromate) PG: I	
Special Provisions for Transport	Not available.	
DOT (Pictograms)	POISON OXIDIZER 5.1	

Section 15. Other Regulatory Information and Pictograms

Federal and State Regulations

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Potassium dichromate

California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (female) which would require a warning under the statute: Potassium dichromate California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (male) which would require a warning under the statute: Potassium dichromate California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Potassium dichromate

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Potassium dichromate

New York release reporting list: Potassium dichromate

Pennsylvania RTK: Potassium dichromate Massachusetts RTK: Potassium dichromate Massachusetts spill list: Potassium dichromate

New Jersey: Potassium dichromate New Jersey spill list: Potassium dichromate Louisiana spill reporting: Potassium dichromate

California Director's List of Hazdardous Substances: Potassium dichromate

Continued on Next Page

Potassium dichromate Page Number: 6 TSCA 8(b) inventory: Potassium dichromate TSCA 6 final risk management: Potassium dichromate TSCA 8(a) IUR: Potassium dichromate SARA 313 toxic chemical notification and release reporting: Potassium dichromate CERCLA: Hazardous substances.: Potassium dichromate: 10 lbs. (4.536 kg) California prop. 65: This product contains the following ingredients for which the State of California has alifornia roposition 65 found to cause cancer which would require a warning under the statute: Potassium dichromate **Varnings** California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Potassium dichromate Other Regulations OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances (EINECS No. 231-906-6). Canada: Listed on Canadian Domestic Substance List (DSL). China: Listed on National Inventory. Japan: Listed on National Inventory (ENCS). Korea: Listed on National Inventory (KECI). Philippines: Listed on National Inventory (PICCS). Australia: Listed on AICS. Other Classifications WHMIS (Canada) CLASS C: Oxidizing material. CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC). CLASS D-2A: Material causing other toxic effects (VERY TOXIC). R21- Harmful in contact with skin. DSCL (EEC) S45- In case of accident or if you feel unwell, R25- Toxic if swallowed. seek medical advice immediately (show the R26- Very toxic by inhalation. label where possible). R37/38- Irritating to respiratory S53- Avoid exposure - obtain special system and skin. instructions before use. R41- Risk of serious damage to S60- This material and its container must be disposed of as hazardous waste. R43- May cause sensitization by skin S61- Avoid release to the environment. Refer contact. to special instructions/Safety data sheets. R46- May cause heritable genetic damage. R49- May cause cancer by inhalation. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Health Hazard 4 HMIS (U.S.A.) **National Fire Protection** Flammability **Association (U.S.A.)** Fire Hazard 0 Health Reactivity Reactivity 0 Specific hazard Personal Protection E WHMIS (Canada) (Pictograms) **DSCL** (Europe) (Pictograms) TDG (Canada) (Pictograms)

Potassium	dichromate	
-----------	------------	--

Page Number: 7

ADR (Europe) (Pictograms)





Protective Equipment



Gloves.



Lab coat.



Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.



Splash goggles.

Section 16. Other Information

MSDS Code P4280

Not available. References

Other Special

Not available. Considerations

Validated by Sonia Owen on 3/18/2013.

Verified by Sonia Owen.

Printed 3/18/2013.

CALL (310) 516-8000

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.