

Ru Rh Pd Ag Re Os Ir Pt Au

Ruthenium Red

1. Product And Company Identification

Supplier

Colonial Metals, Inc.

Building 20

505 Blue Ball Road

Elkton, MD 21921 United States

Company Contact: Wayne Sher Telephone Number: 410-398-7200 FAX Number: 410-398-2918

E-Mail: wsher@colonialmetals.com **Web Site:** colonialmetals.com

Supplier Emergency Contacts & Phone Number

Chemtrac: 800-424-9300

World Wide - Call COLLECT to U.S: 703-527-3887

Manufacturer

Colonial Metals, Inc.

Building 20

505 Blue Ball Road

Elkton, MD 21921 United States

Company Contact: Wayne Sher Telephone Number: 410-398-7200 FAX Number: 410-398-2918 E-Mail: wsher@colonialmetals.com

Web Site: colonialmetals.com

Manufacturer Emergency Contacts & Phone Number

Chemtrac: 800-424-9300

World Wide - Call COLLECT to U.S: 703-527-3887

Issue Date: 10/11/2010

Product Name: Ruthenium Red

Chemical Name: Ruthenium (III, IV) Chloride Oxide Ammoniated Hydrate, Ruthenium Red

CAS Number: 12790-48-6

Chemical Family: Platinum Group Metal Salts Chemical Formula: Ru3O2(NH3)14Cl6.2H2O

MSDS Number: 8014 Product Code: 8014

2. Composition/Information On Ingredients

	Ingredient Name	CAS Number	Percent Of Total Weight
Ruthenium Red		12790-48-6	91.5

EMERGENCY OVERVIEW

To the best of our knowledge the chemical, physical, and toxicological properties have not been thoroughly investigated. Avoid high temperature. May decompose ammonia and chlorine vapor.

3. Hazards Identification

Primary Routes(s) Of Entry

Inhalation: Likely Skin: Likely

Ingestion: Likely

Eye Hazards

Irritation

Skin Hazards

Irritation

Ingestion Hazards

Irritation, nause and diarrhea; poison is unlikely on a single exposure.



Ruthenium Red

Ru Rh Pd Ag Re Os Ir Pt Au

3. Hazards Identification - Continued

Ingestion Hazards - Continued

Does not cause serious toxic manifestations.

Inhalation Hazards

Irritation and possibly difficulty in breathing

Conditions Aggravated By Exposure

May cause irritation of the respiratory system. Maintain housekeeping and personal hygene to minimize exposure and prevent sensitization.

Conditions Aggravated By Overexposure

To the best of our knowledge, the chemical, the physical, and toxicological properties have not been thoroughly investigated.

4. First Aid Measures

Eve

Flush for 15 minutes with plenty of water. If discomfort occurs or persists, contact a physician.

Skin

Flush area for 15 minutes with water and wash with soap and water. If discomfort occurs or persists, contact a physician. Remove contaminated clothing and shoes and wash before reuse.

Ingestion

Not expected to be a problem in industry. However if swallowed and discomfort occurs, contact a physician.

Inhalation

Remove to fresh air immediately. If discomfort occurs or persists, contact a physician.

5. Fire Fighting Measures

Flash Point Method: NA Flammability Class: NA

Fire And Explosion Hazards

Use proper safety epuipment. Can decompose to emit toxic ammonia and chlorine vapors.

Extinguishing Media

Use water spray, foam, carbon dioxide, or medium to fight primary source.

Fire Fighting Instructions

Use NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

6. Accidental Release Measures

Sweep up or soak up solution and place in a sealed container, taking care to avoid dusting. Person protected with full face shield and proper respirator for dust. Ventilate area and wash spill site after pick up is complete.

7. Handling And Storage

Handling And Storage Precautions

Avoid contact with eyes, prolonged or repeated contact with skin. Avoid breathing dust. Use compatible chemical resistant gloves. Wash hands thoroughly after handling.

Other Precautions

0.01 ppm high efficiency particular respirator/supplied air respirator/self-contained breathing apparatus; 0.2 ppm same as above with full face piece; 1 ppm powdered air purifying respirator with high efficiency filter/type C supplied air



Ruthenium Red

Ru Rh Pd Ag Re Os Ir Pt Au

7. Handling And Storage - Continued

respirator operated in pressure demand mode. Store in a sealed container, plastic or plastic liner, in a cool, well ventilated, dry area away from volatile acids.

8. Exposure Controls/Personal Protection

Engineering Controls

Ventilation: Local Exhaust: Required in handling area

Mechanical: Desirable to insure concentration of material below TLV/TWA levels

Other: Closed Ventilation system - Dust (Laboratory Fume Hood)

Eye/Face Protection

ANSI approved safety glasses/goggles

Skin Protection

Rubber/Neoprene (use compatible chemical-resistant gloves).

Respiratory Protection

Chemical cartridge respirator for dust/mist/fume/radionuclide or self-contained breathing apparatus with full face shield.

Other/General Protection

Lab coat/apron, flame and chemical resistant protective clothing, eye wash, safety shower, and hygiene facilities for washing.

9. Physical And Chemical Properties

Appearance

Dark brown powder

<u>Odor</u>

Ammonical odor

Chemical Type: Mixture Physical State: Solid

Melting Point: Decomposes °C

Boiling Point: NA °C
Specific Gravity: NE
Molecular Weight: 822.38
Vapor Pressure: NA
Vapor Density: NA
pH Factor: NA
Solubility: Soluble
Evaporation Rate: NA

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions To Avoid (Stability)

High temperature

Incompatible Materials

NE



Ru Rh Pd Ag Re Os Ir Pt Au

Ruthenium Red

10. Stability And Reactivity - Continued

Hazardous Decomposition Products

Ammonia & chlorine vapor

11. Toxicological Information

No Data Available...

12. Ecological Information

No Data Available...

13. Disposal Considerations

Place in sealed container. Consult Federal EPA, State and local regulations for proper disposal/recycle/reclamation

NOTE: Chemical additions, processing, or otherwise altering this material may make the waste management information presented above incomplete, inaccurate, or otherwise inappropriate.

RCRA Information

NL

14. Transport Information

No Data Available...

15. Regulatory Information

No Data Available...

16. Other Information

Revision/Preparer Information

MSDS Preparer: Wayne Sher

MSDS Preparer Phone Number: 410-398-7200

This MSDS Supersedes A Previous MSDS Dated: 03/15/1998

Disclaimer

In compliance with the OSHA Hazard Communication Standard, 2.9 C.F.R 1910.1200, we are providing you with a Materials Safety Data Sheet (MSDS) for the hazardous material you are purchasing.

It is your responsibility to educate your employees on the safe use of the hazardous material. With this in mind, a copy should be forwarded to the supervisor of the user or to the user themselves, and copy should be retained in your files for future reference.

Colonial Metals, Inc. makes no presentation as to the accuracy of the information in the MSDS. The information is believed to be correct; however, you (the customer), should perform your own investigation and independent verification. If you resell the product, you are responsible to forward the information in the MSDS to your customer.

Colonial Metals, Inc.

Printed Using MSDS Generator™ 2000