according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ALCOJET
- · Application of the substance / the preparation Cleaning material/ Detergent
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Alconox, Inc.

30 Glenn St., Suite 309 White Plains, NY 10603 Phone: 914-948-4040



- · Further information obtainable from: Product Safety Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2

H315 Causes skin irritation.

STOT SE 3

H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R22:

Harmful if swallowed.



Xi; Irritant

Irritating to skin. Risk of serious damage to eyes.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

Trade name: ALCOJET

(Contd. of page 1)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

disodium metasilicate

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Safety data sheet available on request.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment. P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Hazard description:

· WHMIS-symbols:

D2B - Toxic material causing other toxic effects

E - Corrosive material



· NFPA ratings (scale 0 - 4)



(Contd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Revision: 24.05.2012 Printing date 25.05.2012

Trade name: ALCOJET

· HMIS-ratings (scale 0 - 4)

(Contd. of page 2)



○ Fire = 0 REACTIVITY 0 Reactivity = 0

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2	sodium carbonate Xi R36 Eye Irrit. 2, H319	25-50%
CAS: 1344-09-8 EINECS: 215-687-4	Silicic acid, sodium salt Xn R22; Xi R37/38-41 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	10-25%
CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-00-8	disodium metasilicate C R34; Xi R37 Skin Corr. 1B, H314 STOT SE 3, H335	2,5-10%
CAS: 7681-38-1 EINECS: 231-665-7 Index number: 016-046-00-X	sodium hydrogensulphate	2,5-10%
CAS: 7722-88-5 EINECS: 231-767-1	tetrasodium pyrophosphate substance with a Community workplace exposure limit	≤ 2 ,5%
CAS: 51580-86-0 EINECS: 220-767-7 Index number: 613-030-01-7	troclosene sodium, dihydrate Xn R22; Xi R36/37; N R50/53 R31 Aquatic Acute 1; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335	≤ 2,5% -

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 4)

Safety Data Sheet ding to 1907/2006/EC (REAC

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

Trade name: ALCOJET

(Contd. of page 3)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Product forms slippery surface when combined with water.

Avoid formation of dust.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Prevent formation of dust.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

Trade name: ALCOJET

(Contd. of page 4)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from humidity and water.

Store in dry conditions.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7722-88-5 tetrasodium pyrophosphate

REL (USA) 5 mg/m³
TLV (USA) TLV withdrawn
EV (Canada) 5 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR Natural rubber, NR Butyl rubber, BR

(Contd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

Trade name: ALCOJET

(Contd. of page 5)

Neoprene gloves

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- Body protection: Protective work clothing

Physical and chemical proper	ties
9.1 Information on basic physical ar	nd chemical properties
General Information	
Appearance:	
Form:	Powder White
Colour: Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	NA for Powder
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Segregation coefficient (n-octanol/w	vater): Not determined.
Viscosity:	Mart Jatanasa I
Dynamic:	Not determined.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

Trade name: ALCOJET

	(Contd. of page 6)
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0,0 %
Solids content:	100 %
· 9.2 Other information	No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Can decompose slowly with localised heating above 150°C.

· 10.3 Possibility of hazardous reactions

Contact with acids releases irritant gases.

Reacts with acids.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Sulphur dioxide

Nitrogen oxides

Sulphur trioxide (SO3) or SO3-mist

Phosphorus compounds

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

6834-92-0 disodium metasilicate

Oral LD50 1280 mg/kg (rat)

51580-86-0 troclosene sodium, dihydrate

Oral LD50 1400 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

(Contd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

Trade name: ALCOJET

(Contd. of page 7)

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Not worth-mentioning accumulating in organisms
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Smaller quantities can be disposed of with household waste.

Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The surfactant used in this product complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information		
· 14.1 UN-Number · DOT, ADR, ADN, IMDG, IATA	N/A	
· 14.2 UN proper shipping name		
· DOT, ADR, IMDG, IATA	N/A	
ADN	N/A	
		(Contd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

Trade name: ALCOJET

		(Contd. of page
· 14.3 Transport hazard class(es)		, , , , , <u>, , , , , , , , , , , , , , </u>
· DOT, ADR, IMDG		
· Class	N/A	
· Label	N/A	
· ADN/R Class:	N/A	
·IATA		
· Class	N/A	
· Label	N/A	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	N/A	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
Danger code (Kemler):	N/A	
· EMS Number:	N/A	
· Segregation groups	Acids	
· 14.7 Transport in bulk according to Anne		
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR		
· Tunnel restriction code	N/A	
· UN "Model Regulation":	N/A	

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA

 Section 355 (extremely	hazardous su	ıbstances):	
-----------------------------------	-----------	--------------	-------------	--

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

Trade name: ALCOJET

(Contd. of page 9)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

497-19-8 sodium carbonate

6834-92-0 disodium metasilicate

7681-38-1 sodium hydrogensulphate

7722-88-5 tetrasodium pyrophosphate

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H410 Very toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.
- R31 Contact with acids liberates toxic gas.
- R34 Causes burns.
- R36 Irritating to eyes.
- R36/37 Irritating to eyes and respiratory system.
- R37 Irritating to respiratory system.

(Contd. on page 11)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012 Revision: 24.05.2012

Trade name: ALCOJET

(Contd. of page 10)

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent