

# SPI Supplies Division

Structure Probe, Inc.

P.O. Box 656 West Chester, PA 19381-0656 USA

Phone: 1-(610)-436-5400 Fax: 1-(610)-436-5755

[spi3spi@2spi.com](mailto:spi3spi@2spi.com)

<http://www.2spi.com>

Manufacturer's CAGE: 1P573

# Safety Data Sheet

Date Effective: March 4, 2013

SPI# 02490-RA, 02490-BF Vinylec E Resin

SPI# 02491-RA, 02491-BF Vinylec H Resin

SPI# 02492-RA, 02492-BF Vinelec K Resin

SPI# 02493-RA, 02493-BF Vinelec L Resin

## Section 1: Identification

Chemical Name/Synonyms..... Polyvinyl formal resin

Chemical family..... Polymer from polyvinyl alcohol and formaldehyde as a copolymer with polyvinyl acetate; Polyvinyl formal resin

Emergencies

Contacting CHEMTREC:

24 Hour Emergency Use Only #'s...

Worldwide phone: 1-(703)-527-3887

Worldwide FAX: 1-(703)-741-6090

Toll-free phone: 1-(800)-424-9300 USA only

Product or Trade Name..... Vinylec E Resin, Vinylec H Resin, Vinylec K Resin, Vinylec L Resin

CAS #'s.....63450-15-7      99.9+% polyvinyl formal resin  
.....50-00-0              <0.1% formaldehyde

Chemical Formula..... not known

Hazardous Material Information System USA

Health..... 0

Fire Hazard..... 1

Reactivity..... 0

Personal Protection.....

NFPA Rating (estimated)

Health..... 0

Flammability..... 1

Reactivity..... 0

### Emergency Overview

#### OSHA Hazards

No known OSHA hazards

**Not a dangerous substance according to GHS.**

#### Potential Health Effects

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritation.

**Skin** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

**Ingestion** May be harmful if swallowed.

---

## Section 2: Composition

CAS# 63450-15-7	Polyvinyl formal resin	99.9%
CAS# 50-00-0	Formaldehyde	<0.1%

---

## Section 3: Hazard Identification

### Emergency overview:

This material is not hazardous by OSHA Hazard Communication Definition

### Physical Health Hazards:

None known.

### Physical state:

Solid

**Color:** White to light yellow colored, free flowing powder

**Odor:** Slightly pungent

**Odor threshold:** No data available

### Toxicity Data:

Oral LD50 (Rat) >5.010 mg/kg – practically nontoxic

Dermal LD50 (Rabbit) >2.000 mg/kg – nor more than slightly toxic

### Irritation Data:

Eye (Rabbit): 3.3 on a scale of 110.0 – slightly irritating

Skin (Rabbit): 0.0 on a scale of 8.0 – non-irritating

### Potential Health Effects:

#### Routes of exposure

Inhalation, Ingestion, Skin Contact

#### Signs and Symptoms of Acute Exposure:

Not known. Animals subjected to long term exposure to polyvinyl alcohol under the skin showed no increase in tumor formation where a powdered form was used. However, an increase in tumors was reported in similar studies where polyvinyl alcohol sponges were implanted (IARC Monographs 19:351-359). NIOSH registry of toxic effects of chemical substances reported polyvinyl alcohol as "animal positive" for carcinogenicity. Although the sponge form of polyvinyl alcohol has caused fibrosis in humans, the information is not considered relevant to normal workplace exposure to polyvinyl alcohol resins and therefore, these resins are not considered to pose a carcinogenic risk to a worker.

#### Skin contact:

May be irritating.

#### Inhalation:

May be harmful

#### Eye contact:

Mechanical irritation is possible, therefore the dust form of the material should be kept from contacting the eyes.

**Ingestion:**

May be harmful.

**Chronic Health Effects Summary:**

No known chronic health effects.

**Conditions Aggravated by Exposure:**

No known conditions are aggravated by this material. However, there is a dust-explosion potential present with the use of this material, especially when working with larger (than laboratory) quantities.

---

## Section 4: First Aid Measures

**Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing..**

**Inhalation:**

If symptoms are experienced, move victim to fresh air, if symptoms persist, obtain medical attention.

**Eye Contact:**

Wash eyes with clean low-pressure water. If irritation persists, seek medical advice.

**Skin Contact:**

If powdered or dust form of the material contacts the skin, immediately flush the skin with large amounts of water. If irritation or other symptoms persist, seek medical attention.

**Ingestion:**

Adverse health effects due to ingestion are not anticipated. If gastric irritation or discomfort persists, seek medical advice.

---

## Section 5: Fire Fighting Measures

**Flammability classification:** Not classified.

**Flash Point/Method:** Not applicable

**Auto-Ignition Temperature:** Not known

**Flammable Limits:**

Lower: Not applicable

Upper: Not applicable

**Hazardous Combustion/Decomposition Products:**

Carbon monoxide, carbon dioxide, formaldehyde, acetic acid, acrolein (trace) may be formed.

**Special Conditions to Avoid:**

Dust particles in the atmosphere of this material may be explosive. Keep away from heat, sparks, flame and all other ignition sources. Keep containers or bags tightly closed. Clean up all dust accumulations. Prevent dust accumulations and dust clouds, possibly using water to "wet" dry dust from forming a cloud.

**Extinguishing Media:**

Water spray or any Class A extinguishing agent.

**Fire Fighting Instructions:**

Protective Equipment/Clothing: Wear a NIOSH approved positive pressure self-contained breathing apparatus and firefighter turnout gear. There could be the evolution of toxic products of combustion. Firefighting equipment should be fully decontaminated after use.

**Instructions:**

Use flooding quantities of water until well after fire is out.

**Unusual fire and explosion hazards:**

Dust when mixed in sufficient quantities with air creates a potential for explosive concentrations

---

## Section 6: Accidental Release Measures

**Release response:**

Vacuum or otherwise pick up and retain for recycle or disposal. Do not flush spilled material to the sewer or the environment. Avoid creating a dust cloud since this could create an a potential for a dust explosion hazard. Use vacuum equipment designed especially for handling combustible dust.

**Reportable Quantities:**

See Section 15: Regulatory information.

---

## Section 7: Handling and Storage

**Handling:**

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing.

**Storage:**

Keep container dry. Store away from excessive heat, sparks and flame. Avoid creating any dust cloud when handling. Keep container close to prevent contamination.

---

## Section 8: Exposure Controls and Personal Protection

**Engineering Controls:**

Provide sufficient ventilation to minimize exposure. Use local mechanical

exhaust ventilation at sources of air contamination such as open process equipment.

**Personal Protection:**

**Inhalation:** Avoid breathing dust. Use NIOSH/OSHA approved equipment when airborne exposure is excessive. High airborne concentrations may require use of self-contained breathing apparatus or supplied air respirator. Respiratory protection programs must be in compliance with 29 CFR 1910.134.

**Skin:** Skin contamination should be minimized as good industrial practice. Wearing of protective gloves is recommended. Wash hands and contaminated skin after handling.

**Eye:** Always use safety glasses, even for work with small quantities, such as the making Formvar filmed grids.

---

## Section 9: Physical and Chemical Properties

**Boiling Point/Range:** Not applicable

**pH:** Not applicable

**Vapor Pressure:** Not applicable

**Viscosity:** Not applicable

Specific Gravity (Water = 1): 1.1-1.3

Water solubility: Insoluble

Solubilities: Phenols, some chlorinated hydrocarbons, alcohol mixtures, and certain aromatic hydrocarbons.

Octanol/Water Partition Coefficient in Kow: Specific value not known

Melting/Freezing Point: Not applicable

Evaporation Rate: Not applicable

Percent Volatile as packed (%) Max 2.2

---

## Section 10: Stability and Reactivity

**Chemical Stability:**

The product is stable.

**Conditions to Avoid:**

Avoid contact with excessive heat, sparks or open flame or dust accumulation.

**Incompatibility with:**

None known

**Hazardous Products of Deposition:**

Carbon dioxide, carbon monoxide, formaldehyde,

acetic acid, acrolein (trace).

**Reactions with Air and Water:**

Does not react with air, water or other common materials.

---

## Section 11: Toxicological Information

**Summary:**

Not considered to be toxic to humans or animals

**Component:**

Polyvinyl formal resin 99.9+%  
Formaldehyde < 0.1%

**Skin Effects:**

No skin effects are expected from contact.

**Acute Oral Effects:**

Animal studies showed no adverse health effects when performed on polyvinyl alcohol.

**Acute Inhalation Effects:**

None known

**Subchronic Effects:**

None known

**Chronic Effects/Carcinogenicity:**

None expected from polyvinyl formal resin, however, formaldehyde is a suspected human carcinogen by IARC. Note: Formaldehyde is present but in less than 0.1% levels.

**Reproductive/Development Effects:**

No reproductive or developmental effects are expected.

---

## Section 12: Ecological Information

**Exotoxicity:** Exotoxicity is expected to be low based on the low water solubility of polymers. No other information is known on this topic.

**Environmental Fate:** No information found in our selected references.

**Bioaccumulation:** Not expected to occur.

---

## Section 13: Disposal Considerations

Polyvinyl formvar is not a "hazardous waste" as that term is defined in the Resource Conservation and Recovery Act (RCRA), 40 CFR 261, "Identification and Listing of Hazardous Waste". Burn in an approved incinerator or dispose of in an approved landfill in accordance with all applicable local, state, and federal laws and regulations. Consult your appropriate regulatory

officials for information on such disposal.

---

## Section 14: Transport Information

**Proper Shipping Name:** Polyvinyl Formal Resin

**Special Hazard Precautions:** Causes only slight eye irritation.

**DOT Hazard Class:** Non-Regulated

**UN/NA ID:** Not Regulated

**Packing Group:** Not Applicable

**Labels:** Not Regulated

**Marine Pollutant:** Not known, but probably not based on its insolubility in water.

**NAER Guidebook:** Not Regulated

**DOT Status:** Not Regulated

---

## Section 15: Regulatory Information

**TSCA:** This product is listed on the TSCA 8(b) inventory. If identified components of this product are listed under the TSCA 12(b) Export Notification Rule, they will be listed below.

TSCA 12(b) Component Listed under TSCA Section

**SARA-Section 313 Emissions Reporting:**  
Component Reporting Threshold

**SARA-Section 311/312:**  
No components present in this product are subject to the reporting requirements of this statute.

**CERCLA Hazardous Substances and their Reportable Quantities:**

Component	Reportable Quantity
-----------	---------------------

**California Prop. 65:**

Proposition 65 requires manufacturers or distributors of consumer products into the State of California to provide a warning statement if the product contains ingredients for which the State has found to cause cancer, birth defects or other reproductive harm. If this product contains an ingredient listed by the State of California to cause cancer or reproductive toxicity, it will be listed below:

**Canada:**

CAS# 63450-15-7 is listed on the DSL List.

CAS# 50-00-0 is listed on the DSL List.

WHMIS: No information found.

---

## Section 16: Other Information

### **Disclaimer of Liability:**

Caution! Do not use SPI Supplies products or materials in applications involving implantation within the body; direct or indirect contact with the blood pathway; contact with bone, tissue, tissue fluid, or blood; or prolonged contact with mucous membranes. Products offered by SPI Supplies are not designed or manufactured for use in implantation in the human body or in contact with internal body fluids or tissues. SPI Supplies will not provide to customers making devices for such applications any notice, certification, or information necessary for such medical device use required by US FDA (Food and Drug Administration) regulation or any other statute. SPI Supplies and Structure Probe, Inc. make no representation, promise, express warranty or implied warranty concerning the suitability of these materials for use in implantation in the human body or in contact with internal body tissues of fluids.

The information and recommendations set forth above are taken from sources believed to be accurate as of the date hereof, however SPI Supplies and Structure Probe, Inc. make no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assume no liability to any user thereof. The information contained in this sheet does not constitute a hazard assessment and should not be used in place of the user's own assessment of work place risks as required by other health and safety legislation. Be aware of the Structure Probe, Inc. [Copyright Policy](#). Structure Probe, Inc. grants a nonexclusive license to make unlimited copies of this safety sheet for internal use only. Quite obviously, this information would pertain only to this material when purchased from SPI Supplies as product from other sources, with other ingredients and impurity levels could have substantially different properties.