Material Safety Data Sheet



10 - 15

1. Chemical product and company identification

Product name BRAYCOTE MICRONIC 701

MSDS # 459651

Historic MSDS #: 25083-AM

Code 459651-US01

Manufacturer Castrol Industrial North America, Inc.

150 W. Warrenville Road Naperville, IL 60563

Supplier Castrol Industrial North America, Inc.

150 W. Warrenville Road

Naperville, IL 60563

Product Information: 1-800-621-2661 1 (800) 424-9300 CHEMTREC (USA)

EMERGENCY SPILL INFORMATION:

Composition/information on ingredients

Ingredient name CAS # % by weight

3. Hazards identification

carbonic acid, calcium salt (1:1)

Physical state Solid.

Color White. Paste.

Emergency overview CAUTION!

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

Avoid contact with eyes, skin and clothing. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable. Keep

MSDS#

471-34-1

container closed. Use with adequate ventilation. Wash thoroughly after handling.

Routes of entry Dermal contact. Eye contact. Inhalation. Ingestion.

Potential health effects

Eyes May cause eye irritation.

Skin May cause skin irritation.

Inhalation May cause respiratory tract irritation.

Ingestion Ingestion may cause gastrointestinal irritation and diarrhea.

Medical conditions aggravated by over-

exposure

None identified.

See toxicological information (section 11)

Product BRAYCOTE MICRONIC 701

name

Version 1 Date of issue 04/14/2006. Format US Language ENGLISH.

Build 4.2.7 (ENGLISH)

459651-US01

Page: 1/5

4. First aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical

attention if irritation develops.

Skin contact Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes.

Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if

Non-explosive in the presence of the following materials or conditions: open flames, sparks and

irritation develops.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical attention if irritation develops.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by

mouth to an unconscious person. Get medical attention if symptoms appear.

5. Fire-fighting measures

Flammability of the product May be combustible at high temperature.

Products of combustion These products are carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂ etc.), halogenated

compounds, hydrogen fluoride. Some metallic oxides.

static discharge, heat and shocks and mechanical impacts.

Unusual fire/explosion

hazards

Fire-fighting media and

instructions

In case of fire, use water fog, foam, dry chemicals, or carbon dioxide.

Protective clothing (fire) Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full

turnout gear.

Accidental release measures

Personal precautions Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (See Section: "Exposure controls/personal protection"). Follow all fire

fighting procedures (See Section: "Fire-fighting measures").

Environmental precautions and clean-up

methods

(soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Avoid contact of spilled material with soil and prevent runoff entering surface waterways. See Section 13 for Waste Disposal Information.

If emergency personnel are unavailable, contain spilled material. For small spills add absorbent

Personal protection in case of a large spill

Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

7. Handling and storage

Handling Avoid contact with skin and clothing. Avoid contact with eyes. Use only with adequate ventilation

In accordance with good industrial hygiene and safety work practices, airborne exposures should

be controlled to the lowest extent practicable. Wash thoroughly after handling.

Storage Keep container tightly closed. Keep container in a cool, well-ventilated area. Empty containers

may contain harmful, flammable/combustible or explosive residue or vapors. Do not cut, grind, drill, weld, reuse or dispose of containers unless adequate precautions are taken against these

hazards.

Exposure controls/personal protection

Occupational exposure limits

Occupational exposure limits Ingredient name

Product BRAYCOTE MICRONIC 701

name

Version 1 Date of issue 04/14/2006. MSDS#

Format US

459651-US01

Page: 2/5

Language ENGLISH.

Build 4.2.7 (ENGLISH) carbonic acid, calcium salt (1:1) ACGIH TLV (United States, 1/2005).

TWA: 10 mg/m³ 8 hour(s).

OSHA PEL (United States, 8/1997).

TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Total dust

Provide exhaust ventilation or other engineering controls to keep the relevant airborne **Control Measures**

concentrations below their respective occupational exposure limits.

Wash hands, forearms and face thoroughly after handling chemical products, before eating, **Hygiene measures**

smoking and using the lavatory and at the end of the working period.

Personal protection

Eyes Avoid contact with eyes. Chemical splash goggles.

Skin and body Avoid contact with skin and clothing. Wear suitable protective clothing.

Respiratory Use only with adequate ventilation In accordance with good industrial hygiene and safety work

practices, airborne exposures should be controlled to the lowest extent practicable.

Hands Wear suitable gloves.

Not available.



Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

Physical state Solid. Odor Odorless. Color White. Paste. Heat of combustion Not available. **Specific gravity** 1.8 to 2

Solubility insoluble in water.

10. Stability and reactivity

Stability and reactivity The product is stable.

Conditions to avoid Not available. Incompatibility with various Lewis acids. substances

Hazardous decomposition

products

These products are halogenated compounds, hydrogen fluoride.

Hazardous polymerization Will not occur.

11. Toxicological information

Chronic toxicity

Carcinogenic effects

No component of this product at levels greater than 0.1% is identified as a carcinogen by ACGIH or the International Agency for Research on Cancer (IARC). No component of this product present at levels greater than 0.1% is identified as a carcinogen by the U.S. National Toxicology Program (NTP) or the U.S. Occupational Safety and Health Act (OSHA).

Product BRAYCOTE MICRONIC 701 MSDS# 459651-US01 Page: 3/5 name

Date of issue 04/14/2006. Language ENGLISH. Version 1 Format US

> Build 4.2.7 (ENGLISH)

Mutagenic effects

No component of this product at levels greater than 0.1% is classified by established regulatory

criteria as a mutagen.

Reproductive effects

No component of this product at levels greater than 0.1% is classified by established regulatory

criteria as a reproductive toxin.

Teratogenic effects

No component of this product at levels greater than 0.1% is classified by established regulatory

criteria as teratogenic or embryotoxic.

Other chronic toxicity data

A NFPA health hazard rating of "3" is assigned due to due to toxicity of thermal decomposition products and fluorine (HF); otherwise, the material itself warrants a health hazard rating of "1".

12. Ecological information

Ecotoxicity No testing has been performed by the manufacturer.

Persistence/degradability

13. Disposal considerations

Waste information Avoid contact of spilled material and runoff with soil and surface waterways. Consult an

environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, treatment, storage or disposal facilities. Dispose of in accordance with all applicable local and

national regulations.

Remarks No additional remark.

Consult your local or regional authorities.

14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. Regulatory information

U.S. Federal regulationsUS INVENTORY (TSCA): In compliance.

TSCA 5(a)2 final significant new use rule (SNUR):: Sodium nitrite TSCA 12(b) one-time export notification:: Polytetrafluoroethylene

TSCA 12(b) annual export notification: Polytetrafluoroethylene; Sodium nitrite This product is not regulated under Section 302 of SARA and 40 CFR Part 355.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: BRAYCOTE

MICRONIC 701: Immediate (Acute) Health Hazard

SARA 313

Form R - Reporting requirements
Supplier notification

This product does not contain any hazardous ingredients at or above regulated thresholds.

This product does not contain any hazardous ingredients at or above regulated thresholds.

CERCLA Sections 102a/103 Hazardous Substances (40 CFR Part 302.4):: Sodium nitrite: 100 lbs.

(45.36 kg);

State regulations Massachusetts RTK:Sodium nitrite

New Jersey: Sodium nitrite

Pennsylvania RTK:Polytetrafluoroethylene (generic environmental hazard); Sodium nitrite

(environmental hazard, generic environmental hazard)

WARNING: This product contains a chemical known to the State of California to cause cancer.

MSDS#

silica, crystalline - quartz

Product BRAYCOTE MICRONIC 701

name

Version 1Date of issue 04/14/2006.Format USLanguage ENGLISH.

Build 4.2.7 (ENGLISH)

459651-US01

Page: 4/5

Inventories AUSTRALIAN INVENTORY (AICS): In compliance.

CANADA INVENTORY (DSL): Not listed.

CHINA INVENTORY (IECS): Not determined.

EC INVENTORY (EINECS/ELINCS): In compliance.

JAPAN INVENTORY (ENCS): Not determined.

KOREA INVENTORY (ECL): Not determined.

PHILIPPINE INVENTORY (PICCS): In compliance.

16. Other information

Label requirements CAUTION!

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

HMIS® Rating: Health 1 - National Fire

Flammability 1 Protection
Physical 0 Association
Hazard (U.S.A.)

Personal B

protection



History

Date of issue 04/14/2006.

Date of previous issueNo Previous Validation.Prepared byProduct Stewardship

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Product BRAYCOTE MICRONIC 701

Version 1

Date of issue 04/14/2006.

MSDS#

459651-US01

Page: 5/5

(ENGLISH)

Format US Language ENGLISH.

Build 4.2.7